



Date of Deposit 6-16-99

Label Number: EL300789241US

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to: BO; PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D. C., 20231.

Sandra E. Marxen

Attorney D Applicant

Title

Printed name of person mailing correspondence

UTILITY PATENT APPLICATION TRANSMITTAL UNDER 37 CFR §1.53(b)				
Docket Number	04520/016002			
	Bruce A. Littlefield, Monica H. Palme, Boris M. Seletsky, Murray J. Towle, Melvin J. Yu, and Wanjun Zheng			

Macrocyclic Analogs and Methods of Their Use and Preparation

PRIORITY INFORMATION:

This application claims priority from United States provisional patent application, serial number 60/089,682 filed June 17, 1998.

APPLICATION ELEMENTS:

AFFLICATION ELEMENTS.		
Cover sheet	1 page	
Specification	102 pages	
Claims	5 pages	
Abstract	1 page	
Drawing	0 pages	
Combined Declaration and POA, which is: ■ Unsigned; □ Newly signed for this application; □ A copy from prior application [**SERIAL NUMBER**] and the entire disclosure of the prior application is considered as being part of the disclosure of this new application and is hereby incorporated by reference therein.	3 pages	
Statement Deleting Inventors	0 pages	
Sequence Statement	0 pages	
Sequence Listing on Paper	0 pages	
Sequence Listing on Diskette	0 pages	



Small Entity Statement, which is: □ Unsigned; □ Newly signed for this application; □ A copy from prior application [**SERIAL NUMBER**] and such small entity status is still proper and desired.	0 pages	
Preliminary Amendment	0 pages	
IDS	0 pages	
Form PTO 1449	0 pages	
Cited References	0 pages	
Recordation Form Cover Sheet and Assignment	0 pages	
Assignee's Statement	0 pages	
English Translation	0 pages	
Certified Copy of Priority Document	0 pages	
Return Receipt Postcard	1	
FILING FEES:		
Basic Filing Fee: \$760	\$760.00	
Excess Claims Fee: 21 - 20 x \$18	\$18.00	
Excess Independent Claims Fee:4 - 3 x \$78	\$78.00	
Multiple Dependent Claims Fee: \$260	\$0.00	
Total Fees:	\$856.00	

- Enclosed is a check for \$856.00 to cover the total fees.
- □ Charge [**AMOUNT**] to Deposit Account No. 03-2095 to cover the total fees.
- $\hfill\Box$ The filling fee is not being paid at this time.
- ☑ Please apply any other charges, or any credits, to Deposit Account No. 03-2095.

CORRESPONDENCE ADDRESS:

Susan M. Michaud, Ph.D. Reg. No. 42,885 Clark & Elbing LLP 176 Federal Street Boston, MA 02110

Telephone: 617-428-0200 Facsimile: 617-428-7045

Jusan M Michael
Signature

June 16, 1999 Date

Certificate of Mailing			
Date of Deposit <u>(0-1/0-99</u>	Label Number: EL300789241US		
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to BOX PATENT APPLICATION, Assistant Commissioner of Patents, Washington, DC. 20231. Sandra E. Marxen			
Printed name of person mailing correspondence	Signature of person mailing correspondence		

APPLICATION

FOR

UNITED STATES LETTERS PATENT

APPLICANT: Bruce A. Littlefield, Monica H. Palme, Boris M. Seletsky,

Murray J. Towle, Melvin J. Yu, and Wanjun Zheng

TITLE : Macrocyclic Analogs and Methods of Their Use and

Preparation

25

30

MACROCYCLIC ANALOGS AND METHODS OF THEIR USE AND PREPARATION

Background

The invention relates to pharmaceutically active macrolides. Halichondrin B is a potent anticancer agent originally isolated from the marine sponge Halichondria okadai, and subsequently found in Axinella sp., Phakellia carteri, and Lissondendryx sp..

A total synthesis of Halichondrin B was published in 1992 (Aicher, T.D. et al., *J. Am. Chem. Soc.* 114:3162-3164). Halichondrin B has demonstrated *in vitro* inhibition of tubulin polymerization, microtubule assembly, beta[§]-tubulin crosslinking, GTP and vinblastine binding to tubulin, and tubulin-dependent GTP hydrolysis and has shown *in vitro* and *in vivo* anticancer properties.

Summary of the Invention

The invention provides halichondrin analogs having pharmaceutical activity, such as anticancer or antimitotic (mitosis-blocking) activity. These compounds are substantially smaller than halichondrin B. The invention features a compound having the formula (I):

Formula (I)

In formula (I), A is a $C_{1:6}$ saturated or $C_{2:6}$ unsaturated hydrocarbon skeleton, the skeleton being unsubstituted or having between 1 and 13 substituents, preferably between 1 and 10 substituents, e.g., at least one substituent selected from cyano, halo, azido, Q_1 , and oxo. Each Q_1 is independently selected from OR_1 , SR_1 , SO_2R_1 , OSO_2R_1 , NR_2R_1 ,

35

5

10

15

 $NR_2(CO)R_1, NR_2(CO)(CO)R_1, NR_4(CO)NR_2R_1, NR_2(CO)OR_1, (CO)OR_1, (CO)NR_2R_1, \\ and O(CO)NR_2R_1. \\ The number of substituents can be, for example, between 1 and 6, 1 and 8, 2 \\ and 5, or 1 and 4. \\ Throughout the disclosure, numerical ranges are understood to be inclusive.$

Each of R_1 , R_2 , R_4 , R_5 , and R_6 is independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} hydroxyalkyl, C_{1-6} aminoalkyl, C_{6-10} aryl, C_{6-10} haloaryl (e.g., p-fluorophenyl or p-chlorophenyl), C_{6-10} hydroxyaryl, C_{1-4} alkoxy- C_6 aryl (e.g., p-methoxyphenyl, 3,4,5-trimethoxyphenyl, p-ethoxyphenyl, or 3,5-diethoxyphenyl), C_{6-10} aryl- C_{1-6} alkyl- C_{1-6} alkyl- C_{1-6} alkyl- C_{6-10} aryl- C_{1-6} alkyl- C_{6-10} aryl- C_{1-6} alkyl- C_{6-10} aryl- C_{1-6} alkyl- C_{6-10} aryl- C_{1-6} alkyl- C_{2-9} heterocyclic radical- C_{1-6} alkyl- C_{2-9} heterocyclic radical- C_{1-6} alkyl-droxy, C_{2-9} heteroaryl, and C_{2-9} heteroaryl- C_{1-6} alkyl. There may be more than one R_1 , for example, if A is substituted with two different alkoxy (OR_1) groups such as butoxy and 2-aminoethyoxy.

Examples of A include 2,3-dihydroxypropyl, 2-hydroxyethyl, 3-hydroxy-4-perfluorobutyl, 2,4,5-trihydroxypentyl, 3-amino-2-hydroxypropyl, 1,2-dihydroxyethyl, 2,3-dihyroxy-4-perfluorobutyl, 3-cyano-2-hydroxypropyl, 2-amino-1-hydroxy ethyl, 3-azido-2-hydroxypropyl, 3,3-difluoro-2,4-dihydroxybutyl, 2,4-dihydroxybutyl, 2-hydroxy-2(p-fluorophenyl)-ethyl, -CH₂(CO)(substituted or unsubstituted aryl), -CH₂(CO)(alkyl or substituted alkyl, such as haloalkyl or hydroxyalkyl) and 3,3-difluoro-2-hydroxypent-4-enyl.

Examples of Q_1 include -NH(CO)(CO)-(heterocyclic radical or heteroaryl), -OSO₂-(aryl or substituted aryl), -O(CO)NH-(aryl or substituted aryl), aminoalkyl, hydroxyalkyl, -NH(CO)(CO)-(aryl or substituted aryl), -NH(CO)(alkyl)(heteroaryl or heterocyclic radical), O(substituted or unsubstituted alkyl)(substituted or unsubstituted aryl), and -NH(CO)(alkyl)(aryl or substituted aryl).

Each of D and D' is independently selected from R_3 and OR_3 , wherein R_3 is H, $C_{1\cdot3}$ alkyl, or $C_{1\cdot3}$ haloalkyl. Examples of D and D' are methoxy, methyl, ethoxy, and ethyl. In some embodiments, one of D and D' is H.

The value for n is 1 or preferably 0, thereby forming either a six-membered or five-membered ring. This ring can be unsubstituted or substituted, e.g., where E is R_5 or OR_5 , and can be a heterocyclic radical or a cycloalkyl, e.g. where G is S, CH₂, NR₆, or preferably O.

Each of J and J' is independently H, C_{1-6} alkoxy, or C_{1-6} alkyl; or J and J' taken together are $=CH_2$ or -O-(straight or branched C_{1-5} alkylene or alkylidene)-O-, such as exocyclic methylidene, isopropylidene, methylene, or ethylene. Q is C_{1-3} alkyl, and is preferably methyl. T is ethylene or ethenylene, optionally substituted with $(CO)OR_7$, where R_7 is H or C_{1-6} alkyl. Each of U and U' is independently H, C_{1-6} alkoxy, or C_{1-6} alkyl; or U and U' taken together are $=CH_2$ or -O-(straight or branched C_{1-5} alkylene or alkylidene)-O-. X is H or C_{1-6} alkoxy. Each of Y and Y' is independently H or C_{1-6} alkoxy; or Y and Y' taken together are =O, $=CH_2$, or -O-(straight or branched C_{1-5} alkylene or alkylidene)-O-. Each of Z and Z' is independently H or C_{1-6} alkoxy; or Z and Z' taken together are =O, $=CH_2$, or -O-(straight or branched C_{1-5} alkylene or

35

alkylidene)-O-.

5

10

15

The invention features compounds of sufficient stability to be suitable for pharmaceutical development. The invention also features pharmaceutically acceptable salts of disclosed compounds, disclosed novel synthetic intermediates, pharmaceutical compositions containing one or more disclosed compounds, methods of making the disclosed compounds or intermediates, and methods of using the disclosed compounds or compositions. Methods of use include methods for reversibly or irreversibly inhibiting mitosis in a cell, and for inhibiting cancer or tumor growth *in vitro*, *in vivo*, or in a patient. The invention also features methods for identifying an anti-mitotic or anti-cancer agent, such as a reversible or, preferably, an irreversible agent.

Brief Description of the Figures

FIG. 1 is a graph showing the percentage of cells which have completed mitosis and returned to the G_i phase as a function of concentration of compound B1939 in a mitotic block assay. The minimum concentration required for complete mitotic block at 0 hour is 10 nM. The minimum concentration required for complete mitotic block at 10 hour (after washout) is also 10 nM. The reversibility ratio is therefore 1 for B1939. Superimposed upon this graph is a curve showing the percentage of viable cells at 5 days as a function of concentration of compound B1939. Viability drops to very low levels at the same concentration as the 10 hour mitotic block.

FIG. 2 is a graph showing the percentage of cells which have completed mitosis and returned to $\rm G_1$ phase as a function of the concentration of compound B2042 in a mitotic block reversibility assay. The minimum concentration required for complete mitotic block at 0 hour is 3 nM. The minimum concentration required for complete mitotic block at 10 hour is 100 nM. The reversibility ratio for B2042 is therefore 33. Superimposed on this graph is a curve showing the percentage of viable cells at 5 days as a function of concentration of compound B2042. Viability drops to very low levels at the same concentration as the 10 hour mitotic block.

FIG. 3 is a graph showing the average tumor volume in microliters as a function of time (days) in a LOX melanoma xenograft growth inhibition assay. This illustrates the antitumor activity of a compound of formula (I), compound B1939. Paclitaxel and a vehicle control were used.

FIG. 4 is a graph showing the average body weight per mouse as a function of time (days) in the assay described in FIG. 3.

FIG. 5 is a graph showing the average tumor volume in microliters as a function of time (days) in a COLO 205 human colon cancer xenograft growth inhibition assay, showing the antitumor activities of vinblastine and vincristine.

35

40

10

15

- A. Definitions
- B. Halichondrin Analogs
- 5 C. Synthesis of Halichondrin Analogs
 - D. Pharmacological Activity
 - E. Uses

A. Definitions

The following terms are defined in part below and by their usage herein.

Hydrocarbon skeletons contain carbon and hydrogen atoms and may be linear, branched, or cyclic. Unsaturated hydrocarbons include one, two, three or more C-C double bonds (sp²) or C-C triple bonds (sp). Examples of unsaturated hydrocarbon radicals include ethynyl, 2-propynyl, 1-propenyl, 2-butenyl, 1,3-butadienyl, 2-pentenyl, vinyl (ethenyl), allyl, and isopropenyl. Examples of bivalent unsaturated hydrocarbon radicals include alkenylenes and alkylidenes such as methylidyne, ethylidene, ethylidyne, vinylidene, and isopropylidene. In general, compounds of the invention have hydrocarbon skeletons ("A" in formula (I)) that are substituted, e.g., with hydroxy, amino, cyano, azido, heteroaryl, aryl, and other moieties described herein. Hydrocarbon skeletons may have two geminal hydrogen atoms replaced with oxo, a bivalent carbonyl oxygen atom (=O), or a ring-forming substituent, such as -O-(straight or branched alkylene or alkylidene)-O- to form an acetal or ketal.

 C_{1-6} alkyl includes linear, branched, and cyclic hydrocarbons, such as methyl, ethyl, propyl, isopropyl, butyl, isobutyl, sec-butyl, tert-butyl, pentyl, isopentyl, sec-pentyl, neopentyl, tert-pentyl, cyclopentyl, hexyl, isohexyl, sec-hexyl, cyclohexyl, 2-methylpentyl, tert-hexyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1,3-dimethylbutyl, and 2,3-dimethyl but-2-yl. Alkoxy (-OR), alkylthio (-SR), and other alkyl-derived moieties (substituted, unsaturated, or bivalent) are analogous to alkyl groups (R). Alkyl groups, and alkyl-derived groups such as the representative alkoxy, haloalkyl, hydroxyalkyl, alkenyl, alkylidene, and alkylene groups, can be C_{2-6} , C_{1-3} , or C_{2-6} .

Alkyls substituted with halo, hydroxy, amino, cyano, azido, and so on can have 1, 2, 3, 4, 5 or more substituents, which are independently selected (may or may not be the same) and may or may not be on the same carbon atom. For example, haloalkyls are alkyl groups with at least one substituent selected from fluoro, chloro, bromo, and iodo. Haloalkyls may have two or more halo substituents which may or may not be the same halogen and may or may not be on the same carbon atom. Examples include chloromethyl, periodomethyl, 3,3-dichloropropyl, 1,3-difluorobutyl, and 1-bromo-2-chloropropyl.

Heterocyclic radicals and heteroaryls include furyl, pyranyl, isobenzofuranyl, chromenyl, xanthenyl, phenoxathienyl, 2H-pyrrolyl, pyrrolyl, imidazolyl (e.g., 1-, 2- or 4-imidazolyl), pyrazolyl, isothiazolyl, isoxazolyl, pyridyl (e.g., 1-, 2-, or 3- pyridyl), pyrazinyl, pyrimidinyl, pyridazinyl, indolizinyl, isoindolyl, 3H-indolyl, indolyl (e.g., 1-, 2-, or 3-

35

40

5

10

15

indolyl), indazolyl, purinyl, 4H-quinolixinyl, isoquinolyl, quinolyl, phthalazinyl, naphthyridinyl, quinoxalinyl, quinazolyinyl, cinnolinyl, pteridinyl, pyrrolinyl, pyrrolidinyl, imidazolidinyl, pyrazolidinyl, pyrazolidinyl, piperidyl, piperazinyl, indolinyl, isoindolinyl, and morpholinyl. Heterocyclic radicals and heteroaryls may be linked to the rest of the molecule at any position along the ring. Heterocyclic radicals and heteroaryls can be $C_{2.9}$, or smaller, such as $C_{3.6}$, $C_{2.9}$, or $C_{3.7}$.

Aryl groups include phenyl, benzyl, naphthyl, tolyl, mesityl, xylyl, and cumenyl. It is understood that "heterocyclic radical", "aryl", and "heteroaryl" include those having 1, 2, 3, 4, or more substituents independently selected from lower alkyl, lower alkoxy, amino, halo, cyano, nitro, azido, and hydroxyl. Heterocyclic radicals, heteroaryls, and aryls may also be bivalent substituents of hydrocarbon skeleton "A" in formula (I).

B. Halichondrin Analogs

Referring to formula (I) in the Summary section, embodiments of the invention include compounds wherein n is 0; wherein each of D and D' is independently selected from R_3 , $C_{1.3}$ alkoxy, and $C_{1.3}$ haloalkyloxy; wherein R_5 is selected from H, $C_{2.6}$ alkyl, $C_{1.6}$ haloalkyl, $C_{1.6}$ hydroxyalkyl, $C_{1.6}$ aminoalkyl, $C_{6.10}$ aryl, $C_{6.10}$ hydroxyalyl, $C_{1.3}$ alkoxy- C_6 aryl, $C_{6.10}$ aryl- $C_{1.6}$ alkyl, $C_{1.6}$ alkyl- $C_{6.10}$ haloaryl- $C_{1.6}$ alkyl, $C_{1.6}$ alkyl- $C_{6.10}$ haloaryl, $C_{0.10}$ haloaryl, $C_{0.10}$ haloaryl, $C_{0.10}$ alkyl, $C_{1.6}$ alkyl- $C_{0.10}$ haloaryl, $C_{0.10}$ alkyl, $C_{1.6}$ alkyl, $C_{1.6}$ alkyl, $C_{1.6}$ alkyl, $C_{1.6}$ alkyl, $C_{2.9}$ heteroaryl, and $C_{2.9}$ heteroaryl, and $C_{2.9}$ heteroaryl, alkyl; and combinations thereof.

Other embodiment includes compounds having one or more of the following characteristics: (a) wherein A is a C₁₋₆ saturated or C₂₋₆ unsaturated hydrocarbon skeleton, the skeleton having at least one substituent selected from cyano, halo, azido, Q1, and oxo; (b) each Q₁ is independently selected from OR₁, SR₁, SO₂R₁, OSO₂R₁, NR₂R₁, NR₂(CO)R₁, NR2(CO)R1, and O(CO)NR2R1; (c) Z and Z' taken together are =O or =CH2; (d) wherein each Q_1 is independently selected from OR_1 , SR_1 , SO_2R_1 , OSO_2R_1 , $NH(CO)R_1$, $NH(CO)(CO)R_1$, and O(CO)NHR1; (e) each R1 is independently selected from C1-6 alkyl, C1-6 haloalkyl, C6 aryl, C6 haloaryl, C1.3 alkoxy-C6 aryl, C6 aryl-C1.3 alkyl, C1.3 alkyl-C6 aryl, C6 haloaryl-C1.3 alkyl, C₁₋₃ alkyl-C₆ haloaryl, (C₁₋₃ alkoxy-C₆ aryl)-C₁₋₃ alkyl, C₂₋₉ heterocyclic radical, C₂₋₉ heteroaryl, and C2-9 heteroaryl-C1-6 alkyl; (f) one of D and D' is methyl or methoxy and the other is H; (g) n is 0; (h) G is O; (i) J and J' taken together are =CH2; (j) Q is methyl; (k) T is ethylene; (l) U and U' taken together are = CH_2 ; (m) X is H; (n) each of Y and Y' is H; and (o) Z and Z' taken together are =O. Examples of combinations are the combination of (h)-(m), the combination of (a) and (b), the combination of (f) and (h), and the combination of (h) and where one of D and D' is methyl and the other is H. Two particularly preferred compounds are B1793 and B1939.

Another embodiment includes compounds wherein Q_i is independently selected from OR_1 , SR_1 , SO_2R_1 , and OSO_2R_1 ; and each R_i is independently selected from $C_{1\cdot6}$ alkyl, $C_{1\cdot6}$ haloalkyl, C_6 aryl, C_6 haloaryl, $C_{1\cdot3}$ alkyl, $C_{1\cdot3}$ alkyl, $C_{1\cdot3}$ alkyl, $C_{1\cdot3}$ alkyl, $C_{1\cdot3}$ alkyl, C_6 haloaryl, and $(C_{1\cdot3}$ alkyl, C_6 aryl)- $C_{1\cdot3}$ alkyl. Other


10

15

embodiments include compounds wherein: one of D and D' is alkyl or alkoxy, where n is 1; (f) as above, where n is 1; E is alkoxy, where n is 1; n is 0, where one of D and D' is hydroxy and the other is H; and (f) as above, where n is 1 and E is methyl.

The invention also features compounds wherein: (1) A has at least one substituent selected from hydroxyl, amino, azido, halo, and oxo; (2) A is a saturated hydrocarbon skeleton having at least one substituent selected from hydroxyl, amino, and azido (e.g., B1793, B1939, B2042, B1794, and B1922); (3) A has at least two substituents independently selected from hydroxyl, amino, and azido (e.g., B2090 and B2136); (4) A has at least two substituents independently selected from hydroxyl and amino (e.g., B2042 and B2090); (5) A has at least one hydroxyl substituent and at least one amino substituent (e.g., B1939 and B2136); (6) A has at least two hydroxyl substituents (e.g., B1793 and B1794); (7) A is a $C_{2,4}$ hydrocarbon skeleton that is substituted (e.g., B2004, B2037, B1920, B2039, B2070, B2090, and B2043); (8) A is a C₃ hydrocarbon skeleton that is substituted (e.g., B1793, B1920, B1984, B1988, B1939, B1940, B2014); (9) A has an (S)-hydroxyl alpha to the carbon atom linking A to the ring containing G (e.g., B1793, B1939 or B1920) or an (R)-hydroxyl (e.g. B2102, B2013, B2042); and (10) A is a C₁₋₆ saturated hydrocarbon skeleton having at least one substituent selected from hydroxyl and cyano (e.g., B2013, B2037, B2102, B2086, and B2091). By (S)hydroxyl is meant the configuration of the carbon atom having the hydroxyl group is (S). Embodiments of the invention also include compounds which have at least two substituents on the carbon atoms (1) alpha and gamma, (2) beta and gamma, or preferably (3) alpha and beta to the carbon atom linking A to the ring containing G. The alpha, beta, and gamma carbon atoms can have an (R) or (S) configuration

The invention further provides preferred compounds having the formula (1) -A, shown below, wherein the substituents are identical to those defined above.



Formula 1-A

The invention further features the following monosaccharide intermediate having formula (II):

30

35

5

10

Formula (II)

wherein R is methyl or methoxy, and each of P1, P2, and P3 is independently selected from H and primary alcohol protecting groups. Preferably, the diol sidechain is below the plane of the page and OP2 is above the plane of the page. Primary alcohol protecting groups include esters, ethers, silyl ethers, alkyl ethers, and alkoxyalkyl ethers.

Examples of esters include formates, acetates, carbonates, and sulfonates. Specific examples include formate, benzoyl formate, chloroacetate, trifluoroacetate, methoxyacetate, triphenylmethoxyacetate, p-chlorophenoxyacetate, 3-phenylpropionate, 4-oxopentanoate, 4,4-(ethylenedithio)pentanoate, pivaloate, crotonate, 4-methoxy- crotonate, benzoate, p-phenylbenzoate, 2,4,6-trimethylbenzoate, carbonates such as methyl, 9-fluorenylmethyl, ethyl, 2,2,2-trichloroethyl, 2-(trimethylsilyl)ethyl, 2-(phenylsulfonyl)ethyl, vinyl, allyl, and p-nitrobenzyl.

Examples of silyl ethers include trimethylsilyl, triethylsilyl, t-butyldimethylsilyl, tributyldiphenylsilyl, triisopropylsilyl, and other trialkylsilyl ethers. Alkyl ethers include methyl, benzyl, p-methoxybenzyl, 3,4-dimethoxybenzyl, trityl, t-butyl, allyl, and allyloxycarbonyl ethers or derivatives. Alkoxyalkyl ethers include acetals such as methoxymethyl, methylthiomethyl, (2-methoxyethoxy)methyl, benzyloxymethyl, beta-(trimethylsilyl)ethoxymethyl, and tetrahydropyranyl ethers. Examples of benzyl ethers include p-methoxybenzyl (MPM), 3,4-dimethoxybenzyl, O-nitrobenzyl, p-nitrobenzyl, p-halobenzyl, 2,6-dichlorobenzyl, p-cyanobenzyl, 2- and 4-picolyl. Preferably, each of P1 and P2 are TBS and P3 is MPM (see alcohol 19 below). In one aspect, formula (II) can be modified so the hydroxyethyl sidechain can also be a protected hydroxyl, -CH₂CH₂O-P4, wherein P4 is independently selected from values for P1. A related intermediate is alcohol 17, where the hydroxyethyl sidechain is a hydroxymethyl sidechain. A corresponding hydroxypropyl sidechain, or aminoalkyl side chain, can be similarly prepared.

P1 and P2, taken together, can be a diol protecting group, such as cyclic acetals and ketals (methylene, ethylidene, benzylidenes, isopropylidene, cyclohexylidene, and cyclopentylidene), silylene derivatives such as di-t-butylsilylene and 1,1,3,3-tetra-isopropylidisiloxanylidene derivatives, cyclic carbonates, and cyclic boronates. Methods of adding and removing such hydroxyl protecting groups, and additional protecting groups, are well-known in the art and available, for example, in P.J. Kocienski, <u>Protecting Groups</u>, Thieme, 1994, and in T.W. Greene and P.G.M. Wuts, <u>Protective Groups in Organic Synthesis</u>, 2nd edition, John Wiley & Sons, 1992.

10

The following section provides representative syntheses of intermediates of formula (II) and halichondrin analogs of formula (I).

C. Synthesis of Halichondrin Analogs

An overview is provided below, followed by synthetic schemes 1-16, and several detailed protocols.

Compounds of general formula 4 can be prepared by the route outlined in Scheme 1. Key fragment F-2 exemplified by vinyl iodide compound X2 can be prepared according to the procedure of Kishi, et al (Total synthesis of halichondrin B and norhalichondrin B. Aicher, T. D.; Buszek, K. R.; Fang, F. G.; Forsyth, C. J.; Jung, S. H.; Kishi, Y.; Matelich, M. C.; Scola, M.; Spero, D. M.; Yoon, S. K. J. Am. Chem. Soc. 1992, 114, 3162-4).

Vinyl Iodide X2

XF3

Key fragment F-3 can be obtained by DIBALH reduction of the corresponding methyl ester, XF3, prepared according to the procedure of Stamos, et al (Scheme 2). [Synthetic studies on halichondrins: a practical synthesis of the C.1-C.13 segment. Stamos, D. P.; Kishi, Y. *Tetrahedron Lett.* 1996, 37, 8643-8646]. Synthesis of key fragment F-1 exemplified by compound 20 can be synthesized as described in Scheme 3 or Scheme 4.

25

30

20

Using B1793 as a representative example, coupling of the three key fragments proceeded as outlined in Scheme 5: Nozaki-Hiyama-Kishi coupling of fragments 20 and X2 followed by intramolecular Williamson ether formation furnished tetrahydropyran B2318. Protecting group modification as described in Scheme 5 or alternatively in Scheme 6 afforded primary iodide B2313. Halogen-metal exchange reaction and coupling with key fragment F-3 furnished a mixture of diastereometric alcohols B2308. Additional protecting group manipulation and oxidation followed by an intramolecular Nozaki-Hiyama-Kishi reaction

35

10

15

afforded an intermediate, which when oxidized and treated with TBAF underwent intramolecular hetero-Michael ring closure. PPTs mediated acetal formation furnished B1793.

Aryl groups can be incorporated into the C32 sidechain (e.g. **B2043**) as exemplified in Scheme 7. Intermediate **B2318** was deprotected and the resulting diol oxidatively cleaved to the corresponding aldehyde. Treatment with a Grignard reagent (e.g. p-F-PhMgBr), separation of the resulting diastereomers and silylation furnished **204**, which was converted to final product in a manner similar to that described in Scheme 6.

Ether analogs can be prepared from B1793 by treatment with an appropriate alkylating agent (e.g. Scheme 8). Similarly, sulfonates, esters, carbamates, etc. can be prepared from B1793 by treatment with an activated carbonyl component. Oxidative diol cleavage and reduction or selective hydroxyl group oxidation could furnish derivatives such as B2037 and B1934, respectively.

Alternatively, one or more hydroxyl groups could be converted to the corresponding amino groups with subsequent coupling with an activated carbonyl component (Scheme 9). Displacement of the sulfonyl intermediate (e.g. **B1920**) by carbon or heteroatom nucleophiles could also be readily accomplished (Scheme 10).

C31 methyl analogs can be prepared as outlined in Scheme 11. Indium mediated coupling of an allyl bromide ester with 2,3-O-(3-isopropylidine)-D-glyceraldehyde furnished lactone 103. Hetero Michael addition, lactone reduction, Wittig coupling and intramolecular Michael addition furnished tetrahydrofuran 107. Pummerer rearrangement, protecting group adjustment and DIBALH reduction furnished key fragment 1 (e.g., 114), which was converted to final compound in a manner analogous to that described in Scheme 6.

Fluorine atoms could be introduced as described in Schemes 12 - 14. Beginning with the appropriate tetrahydrofuran intermediate, fluorinated key fragment 1 was obtained and carried to final compound in a manner analogous to that illustrated in Scheme 6.

Triol derivatives could be similarly prepared from the tetrahydrofuran intermediate. For example, as outlined in Scheme 15 allyltributylstannane addition to aldehyde X32 furnished homoallylic alcohol 33 that was carried to final compound in a similar manner to that described in Scheme 6. These triols could be further modified as exemplified in Scheme 6.

The 1,3 diol derivatives could be prepared from intermediates previously described. For example, **B2086** could be oxidatively cleaved and reduced to afford 1,3-diol **B2091** (Scheme 16).

B2307, B2308

BX2308

Scheme 7

Scheme 9

319

X412

TBSO

EX14

3) [O]

TBSÓ

EX15

5

35 a, major, upper C36-isomer

35b, minor, lower C36-isomer

Synthesis of Key Fragment F-3:

Key Fragment F-3. DIBALH (1 M in toluene, 3.86 mL) was added to a solution of XF-3 (1,46 g, 1.93 mmol) in toluene (37 mL) at -78 °C. After stirring for 10 min, the reaction was quenched by careful addition of MeOH (0.46 mL) and $\rm H_2O$ (0.21 mL), warmed to rt and stirred for 15 min. The white suspension was filtered through Celite with 1:1 CH₂Cl₂/Et₂O. The filtrate was concentrated and purified by column chromatography (10% EtOAc-hexanes) to give key fragment F-3 (1.34 g, 96%) as an oil.

Synthesis of B1793:

Triol 1 A solution of TBDPSCI (444 mL, 1.7 mol) in DMF (0.5 L) was added in three portions to a suspension of L-arabinose (250.0 g, 1.66 mol), imidazole (231.4 g, 3.40 mol) and DMF (2.5 L). The addition of each portion took 1.5 h with a 30 min and a 15 h interval separating the second and third portions, respectively. The resulting solution was stirred for 3 h, concentrated and purified by flash chromatography (5% to 33% EtOAchexanes) to provide triol 1 (394 g, 61%).

30

25

30

10

Triacetate 2 Acetic anhydride (6.06 mol) was added over 1.5 h to triol 1 (1.01 mol)

in pyridine (1.0 L) at 15 °C. The solution was stirred for 1 h, concentrated and purified by
flash chromatography (15% to 25% EtOAc-hexanes) to afford triacetate 2 (518 g, 97%).

Diacetates 3 Allyltrimethylsilane (1.11 mol) followed by BF_3 • OEt_2 (1.11 mmol) was added over 1.5 h to triacetate **2** (164 g, 0.32 mol) in toluene (1.5 L) at 0 °C. The orange solution was stirred for 1 h at 0 °C and for 2 h at rt. The mixture was slowly poured into saturated aqueous NaHCO₃ (1.7 L) at 0 °C and stirred for 30 min. The separated aqueous layer was extracted with EtOAc (3 × 600 mL) and the combined organic layers were dried over Na₂SO₄, concentrated and purified by flash chromatography (5% to 10% EtOAc-hexanes) to furnish a mixture of diacetates **3** (108 g, 69%).

$$AcQ$$
, OAc K_2CO_3 $OTBDPS$ AcQ , $OTBDPS$

Diol 4a Solid K_2CO_3 (72 mmol) was added to diacetates 3 (108 g, 218 mmol) in MeOH (0.5 L) at rt. The suspension was stirred for 2.5 h and then concentrated. The orange residue was suspended in saturated aqueous NH_4CI (150 mL), extracted with EtOAc (3 × 150 mL) and the combined organic layers were dried over Na_2SO_4 , concentrated and purified by flash chromatography (15% to 50% EtOAc-hexanes) to afford alpha-isomer 4a (33.86 g, 37%), and beta-isomer 4b (58 g, 63%).

Alcohol 5 Imidazole (16.75 g, 246 mmol) and TBSCl (16.08 g, 107 mmol) were added to a solution of diol 4a (33.86 g, 82 mmol) in CH $_2$ Cl $_2$ (250 mL) at 0 °C. After 18 h at 0 °C and 5 h at rt, the reaction mixture was diluted with saturated aqueous NaHCO $_3$ (250 mL), stirred for 30 min and the layers were allowed to separate. The aqueous layer was extracted with EtOAc (3 × 250 mL) and the combined organic layers were dried over Na $_2$ SO $_4$, concentrated and purified by flash chromatography (2% to 50% EtOAc-hexanes) to furnish alcohol 5 (36.0 g, 83%).

Methyl ether 6 Iodomethane (16.5 mL, 265 mmol) and NaH (60% in mineral oil, 5.28 g, 132 mmol) were added to a solution of alcohol 5 (34.93 g, 66 mmol), THF (320 mL) and DMF (80 mL) at 0 °C. After 19 h at 0 °C, the reaction was quenched with saturated aqueous NH₄Cl and saturated aqueous Na₂S₂O₃. The resulting mixture was stirred for 20 min and the layers were allowed to separate. The aqueous phase was extracted with EtOAc (3 × 200 mL) and the combined organic layers were dried over Na₂SO₄, concentrated and purified by flash chromatography (3% EtOAc-hexanes) to afford methyl ether 6 (34.23 g, 96%).

Diol 7 HCl (37% aqueous solution, 12.75 mL, 153 mmol) was added to a solution of methyl ether **6** (32.93 g, 61 mmol) in MeOH (110 mL) at rt. After 17 h, NaHCO₃ (17 g) was added to the reaction mixture. The mixture was stirred for 30 min, concentrated, suspended in EtOAc and filtered. The filtrate was concentrated and purified by flash chromatography (50% EtOAc-hexanes to EtOAc) to give diol **7** (10.0 g, 87%).

30

5

10

Alcohol 8 A solution of pivaloyl chloride (8.4 mL, 67 mmol) in pyridine (50 mL) was added over 1.5 h to a solution of diol 7 (12.24 g, 65 mmol) in pyridine (100 mL) at 0 °C. After 1 h at 0 °C and 18 h at rt, the mixture was diluted with saturated aqueous NH₄Cl and extracted with EtOAc (3×800 mL). The combined organic layers were dried over Na₂SO₄, concentrated and purified by flash chromatography (50% EtOAc-hexanes) to furnish alcohol 8 (16.9 g, 96%).

Olefin 9 Benzyl bromide (62 mL, 521 mmol) and Bu_aNHSO_4 (10.6 g, 31 mmol) were added to a solution of alcohol 8 (16.9 g, 62 mmol) in CH_2Cl_2 (100 mL) at 0 °C. A solution of NaOH (9.95 g, 248 mmol) in H_2O (10 mL) was added to the reaction mixture over 15 min. After 30 min at 0 °C and 18 h at rt, the reaction mixture was diluted with saturated aqueous NH_4Cl and extracted with CH_2Cl_2 (3 × 100 mL). The combined organic layers were dried over Na_2SO_4 , concentrated and purified by flash chromatography (hexanes to 30% EtOAc-hexanes) to afford olefin 9 (22.1 g, 98%).

Diol 10 OsO₄ (0.1 M solution in toluene, 7.3 mL, 0.73 mmol) and a solution of olefin **9** (24.9 g, 69 mmol) in t-BuOH (165 mL) were added to a solution of K_2 CO₃ (31.2 g, 161 mmol), K_3 Fe(CN)₆ (74.4 g, 161 mmol), (DHQ)₂PYR (1.33 g, 1.50 mmol), H_2 O (500 mL) and t-BuOH (330 mL) at 0 °C. After 3 h at 0 °C, H_2 CO, H_3 CO, H_4 CO, 37.3 g, 150 mmol) was added. The reaction mixture was warmed to rt, stirred for 1 h and extracted with EtOAc (3 × 300 mL). The combined organic layers were dried over H_3 CO₄, concentrated and purified by flash chromatography (5% isopropanol- H_3 Cl₂) to provide diol **10** (17.98 g, 75%).

30

35

5

10

Silyl ether 11 Imidazole (21 g, 308 mmol) and TBSCl (26.5 g, 176 mmol) were added to a solution of diol 10 (17.4 g, 44 mmol) in DMF (90 mL) at rt. After 18 h, the reaction mixture was diluted with saturated aqueous NaHCO $_3$ (250 mL), stirred for 1 h and extracted with CH $_2$ Cl $_2$ (3 × 100 mL). The combined organic layers were dried over Na $_2$ SO $_4$, concentrated and purified by flash chromatography (5% EtOAc-hexanes) to afford silyl ether 11 (25.7 g, 94%).

Alcohol 12 A mixture of silyl ether 11 (21.2 g, 33.8 mmol), $Pd(OH)_2$ (20%, 4.7 g, 33.8 mmol) and EtOAc (200 mL) was stirred at rt under 1 atm H_2 for 3 h. The mixture was filtered through Celite, concentrated and purified by flash chromatography (10% to 20% EtOAchexanes) to afford alcohol 12 (17.4 g, 96%).

Olefin 13 4-Methylmorpholine N-oxide (7.66 g, 65 mmol) and TPAP (1.15 g, 3.26 mmol) was added in four portions over 20 min to a solution of alcohol 12 (17.4 g, 32.5 mmol) in CH₂Cl₂ (145 mL) at 0 °C. After 20 min, the reaction mixture was diluted with Et₂O (50 mL) and saturated aqueous Na₂S₂O₃ (50 mL) and filtered through Celite. The organic layer was separated, washed sequentially with saturated aqueous CuSO₄-brine (1:1) and brine, dried over Na.SO., filtered through Celite, and concentrated to afford the desired crude ketone.

Tebbe reagent was prepared by stirring bis(cyclopentadienyl)titanium (11.36 g, 45.6 mmol) and Me_3Al (2.0 M in toluene, 45.6 mL, 91.2 mmol) for 4 days at rt. This material was cooled to -25 °C and a solution of crude ketone in THF (150 mL) was added. The reaction mixture was warmed to 0 °C, stirred for 30 min, quenched by slow addition of 0.1 N NaOH (3.5 mL), and then stirred for an additional 20 min at rt. The mixture was diluted with Et₂O, filtered through Celite and concentrated. The residue was dissolved in CH_2Cl_2 , filtered through basic Al_2O_3 , concentrated and purified by flash chromatography (5% EtOAc-hexanes) to give olefin 13 (12.8 g, 74% for two steps).

30

5

10

Alcohol 14 9-BBN (0.5 M in THF, 165 mL, 83 mmol) was added to a solution of olefin 13 (12.78 g, 24 mmol) in THF (280 mL) at 0 °C. After stirring for 5 h at rt, the reaction mixture was recooled to 0 °C at which time $\rm H_2O$ (200 mL), THF (100 mL) and $\rm NaBO_3^{-4}$ $\rm H_2O$ (75 g) were added. The mixture was warmed to rt, stirred for 16 h and then concentrated. The aqueous residue was extracted with EtOAc (4 × 300 mL) and the combined organic layers were dried over $\rm Na_2SO_4$. Concentration and purification by flash chromatography (20% to 35% EtOAc-hexanes) afforded alcohol 14 (12.05 g, 91%).

Alcohol 15 DMSO (9 mL, 127 mmol) was added to a solution of oxalyl chloride (5.6 mL, 64 mmol) in CH₂Cl₂ (350 mL) at -78 °C. After stirring for 15 min, a solution of alcohol 14 (11.7 g, 0.021 mmol) in CH₂Cl₂ (50 mL) was added and stirring was continued for 1 h, after which Et₃N (26.7 mL, 192 mmol) was added. The reaction mixture was warmed to 0 °C, stirred for 15 min, diluted with saturated aqueous NH₄Cl, and extracted with CH₂Cl₂ (3 × 200 mL). The combined organic layers were dried over Na₂SO₄ and concentrated to furnish the desired crude aldehyde.

This material was dissolved in CH_2Cl_2 (200 mL) and treated with Et_3N (20 mL) at rt. After stirring overnight, the reaction mixture was diluted with saturated aqueous NH_4Cl and extracted with CH_2Cl_2 (3 × 200 mL). The combined organic layers were dried over Na_2SO_4 , concentrated and filtered through a short SiO_2 column (20% EtOAc-hexanes) to afford the crude epimerized product.

The aldehyde was dissolved in Et₂O-EtOH (1:1, 100 mL), cooled to 0 °C and treated with sodium borohydride (1.21 g, 32 mmol). The mixture was stirred for 20 min, carefully diluted with saturated aqueous NH₄Cl, stirred for 30 min at π and extracted with CH₂Cl₂ (3 × 150 mL). The combined extracts were dried over Na₂SO₄, concentrated and purified by flash chromatography (20% EtOAc-hexanes) to afford alcohol 15 (9.95 g, 85% for three steps).

30

5

MPM-ether 16 BF₃•OEt₂ (0.1 M in CH₂Cl₂, 1.8 mL, 0.18 mmol) was added to a solution of alcohol 15 (9.87 g, 18 mmol), MPM-trichloroimidate (4.9 mL, 27 mmol) and CH₂Cl₂ (175 mL) at 0 °C. After 40 min, a second portion of BF₃•OEt₂ (0.1 M in CH₂Cl₂, 0.9 mL, 0.09 mmol) was added to the reaction mixture. After 20 min, the reaction was quenched with saturated aqueous NH,Cl, stirred for 1 h at rt and diluted with Et,O (600 mL). The organic layer was separated and the aqueous layer was extracted with Et₂O (150 mL). The 10 combined organic extracts were washed sequentially with 0.1 N aqueous NaOH, saturated aqueous NaHCO3, brine, dried over Na3SO4, concentrated and purified by flash chromatography (20% EtOAc-hexanes) to give MPM-ether 16 (10.20 g, 85%).

Alcohol 17 LAH (1 M in THF, 22.5 mL, 22.5 mmol) was added to a solution of MPM-ether 16 (10.05 g, 15 mmol) in Et₂O (1.0 L) at 0 °C. After 30 min, the reaction was cautiously quenched with H₂O (1.3 mL), and 1 N aqueous NaOH (1.3 mL). After stirring for 1 h at rt. the suspension was filtered through Celite, concentrated and purified by flash chromatography (20% EtOAc-hexanes) to afford alcohol 17 (8.18 g, 93%).

Olefin 18 DMSO (5.8 mL, 82.4 mmol) was added to a solution of oxalyl chloride (3.6 mL, 41.2 mmol) in CH₂Cl₂ (100 mL) at -78 °C. After 15 min, a solution of alcohol 17 (7.94 g, 13.5 mmol) in CH₂Cl₂ (35 mL) was added to the reaction mixture. After stirring for 1 h, Et,N (17 mL, 122 mmol) was added, the mixture was warmed to 0 °C, stirred for 20 min, diluted with saturated aqueous NH,Cl and then extracted with CH,Cl, (3 × 100 mL). The combined organic extracts were dried over Na, SO4, concentrated and filtered through a short SiO, column (20% EtOAc-hexanes) to furnish the desired crude aldehyde.

30

35

5

10

n-BuLi~(1.6~M,~20~mL,~30~mmol) was added dropwise to a solution of $\text{CH}_3\text{PPh}_3\text{Br}~(10.1~\text{g},~30~\text{mmol})$ in THF (350 mL) and DMSO (100 mL) at 0 °C. After 1 h, a solution of the crude aldehyde in THF (50 mL) was added. The reaction mixture was warmed to rt and stirred for 3 h. Saturated aqueous NH_4Cl was added and the mixture was extracted with EtOAc (3 \times 500 mL). The combined extracts were washed with brine, dried over Na_2SO_4, concentrated and purified by flash chromatography (7% EtOAc-hexanes) to afford olefin 18~(5.57~g,~71% yield for 2 steps).

Alcohol 19 9-BBN (0.5 M in THF, 65 mL, 33 mmol) was added to a solution of olefin 18 (5.56 g, 9.6 mmol) in THF (85 mL) at 0 °C. The mixture was stirred for 5 h at rt and then recooled to 0 °C. H_2O (200 mL), THF (100 mL), and NaBO₃*4 H_2O (30 g) were sequentially added. After stirring overnight at rt, the organic volatiles were removed under reduced pressure. The aqueous residue was extracted with EtOAc (3 × 200 mL) and the combined organic layers were dried over Na_2SO_4 . Concentration and purification by flash chromatography (30% EtOAc-hexanes) afforded alcohol 19 (12.05 g, 92%).

Aldehyde 20. DMSO (1.36 mL, 19.2 mmol) was added dropwise over 4 min to a solution of oxalyl chloride (1.26 mL, 14.4 mmol) in CH₂Cl₂ (120 mL) at -78 °C. After stirring for 10 min, a solution of alcohol 19 (5.76 g, 9.61 mmol) in CH₂Cl₂ (20 mL) was added via cannula. The transfer was completed by rinsing with additional CH₂Cl₂ (2 × 5 mL). After stirring for 20 min, the mixture was treated with Et₃N (5.36 mL, 38.4 mmol) and stirred for 10 min at -78 °C, 30 min at 0 °C and 10 min at rt. The reaction mixture was poured into saturated aqueous NaHCO₃ (200 mL) and the separated aqueous layer was extracted with CH₂Cl₂ (3×) followed by EtOAc (100 mL). The combined organic phases were dried over Na₂SO₄, concentrated and purified by column chromatography (10% to 20% EtOAc-hexanes) to furnish aldehyde compound 20 (5.28 g, 92%) as an oil.

B2318. 0.1% NiCl₂/CrCl₂ (w/w, 3.21 g) and 1% NiCl₂/CrCl₂ (w/w, 4.31 g) was added to a solution of aldehyde 20 (3.73 g, 6.25 mmol), key fragment F-2 exemplified by vinyl iodide X2. (5.10 g, 9.16 mmol), THF (85 mL) and DMF (21 mL) at rt in a glove box. The reaction mixture was stirred for 24 h, removed from the glove box, cooled to 0 °C, diluted with EtOAc (100 mL), quenched with saturated NH₄Cl (200 mL) and stirred for 30 min. The separated aqueous phase was extracted with EtOAc (6×) and the combined organic layers were dried over Na₂SO₄ concentrated and purified by column chromatography (20% to 30%) to give B2318 (~3 g) contaminated with close running impurities and the uncyclized intermediate (4.61 g). The latter (4.61 g, 4.48 mmol,) was dissolved in THF (150 mL), cooled to 0 °C and treated with KHMDS (0.5 M in toluene, 14 mL, 7.0 mmol) over a 2 min period. After stirring at 0 °C for 15 min, the reaction was quenched with saturated aqueous NH₄Cl (150 mL) and warmed to rt. The separated aqueous layer was extracted with EtOAc (3×) and the combined organic phases were dried over Na₂SO₄, concentrated and combined with the partially purified product obtained above. Column chromatography (10% EtOAc-hexanes) afforded B2318 (3.17 g, 55%) as an inseparable ~3:1 mixture of C27 diastereomers.

B2317. DDQ (1.45 g, 6.42 mmol) was added portion-wise over 30 min to a stirred solution of **B2318** (3.12 g, 3.35 mmol) in CH_2Cl_2 (50 mL) and pH 7 phosphate buffer (5 mL) at rt. The reaction was quenched with saturated aqueous NaHCO₃ (50 mL), stirred for 5 min, diluted with additional saturated aqueous NaHCO₃ (100 mL), H₂O (200 mL) and extracted

25

5

with $\mathrm{Et_2O}$ (5×). The combined organic phases were dried over $\mathrm{Na_2SO_4}$, concentrated and purified by column chromatography (15% to 30% EtOAc-hexanes) to give recovered **B2318** (1.40 g) and a mixture of the C27 isomeric products. The recovered **B2318** was resubmitted to the reaction conditions described above to afford additional product. Recovered starting material was again cycled through the deprotection conditions. All of the desired material was combined and separated by MPLC to afford **B2317** (1.65 g, 61%).

B2316. TsCl (0.63 g, 3.30 mmol) was added to a solution of **B2317** (1.60 g, 1.97 mmol) in CH_2Cl_2 (8 mL) and pyridine (2 mL) at rt. After stirring for 29 h, the reaction was quenched with saturated aqueous NaHCO₃ (30 mL) and H₂O (10 mL). The separated aqueous layer was extracted with Et_2O and the combined organic layers were dried over Na_2SO_4 , concentrated and purified by column chromatography (15% to 30% EtOAc-hexanes) to give **B2316** (2.01 g, 92%) as an oil along with recovered **B2317** (92 mg, 5.8%).

B2315. LAH (1 M in THF, 2.61 mL, 2.61 mmol) was added over 1 min to a solution of **B2316** (1.68 g, 1.74 mmol) in Et₂O (80 mL) at 0 °C. After stirring for 7 min, the reaction was quenched by careful addition of MeOH (0.42 mL, 10.4 mmol) and H₂O (0.19 mL, 10 mmol), warmed to rt and stirred for 20 min. Filtration through Celite with 1:1 CH₂Cl₂-Et₂O,

25

5

concentration and purification by column chromatography (30% to 40% EtOAc-hexanes) gave **B2315** (1.38 g, 90%) as an oil.

B2314. MMTrCl (0.70 g, 2.26 mmol) was added to a solution of **B2315** (1.33 g, 1.51 mmol) in CH₂Cl₂ (25 mL) and iPr₂NEt (0.79 mL, 4.53 mmol) at rt. The resulting mixture was stirred for 1 h and then poured into a mixture of saturated aqueous NaHCO₃ (20 mL), $\rm H_2O$ (10 mL) and Et₂O (50 mL). The separated aqueous layer was extracted with Et₂O (3×). The combined organic phases were dried over Na₂SO₄, concentrated and purified by column chromatography (CH₂Cl₂ followed by 15% to 30% EtOAc-hexanes) to give **B2314** (1.65 g, 95%) as a solid foam.

B2313. A mixture of **B2314** (1.60 g, 1.39 mmol) and NaI (3.10 g, 20.8 mmol) in acetone (50 mL) was heated under reflux for 13 h. After cooling to rt, the reaction mixture was diluted with EtOAc, and concentrated. H_2O (5 mL), brine (20 mL) and $Na_2S_2O_3$ (200 mg) were added and the resulting mixture was extracted with Et_2O (4×). The combined extracts were dried over Na_2SO_4 , concentrated and purified by column chromatography (10% EtOAchexanes) to give **B2313** (1.50 g, 97%) as an oil.

B2308. Tert-BuLi (1.7 M in pentane, 1.00 mL, 1.7 mmol) was added over 1 min to a solution of **B2313** (0.90 g, 0.81 mmol) in Et₂O (14 mL) at ~78 °C. After stirring for 9 min, the mixture was transferred via cannula over 4 min to a solution of key fragment **F-3** (0.83 g, 1.14 mmol) in Et₂O (4 mL) at ~78 °C. The transfer was completed by rinsing with additional Et₂O (2 mL). The resultant mixture was stirred at ~78 °C for 5 min and then at 0 °C for 10 min, quenched with saturated aqueous NaHCO₃ (30 mL) and warmed to rt. The separated aqueous layer was extracted with Et₂O (3×) and the combined organic phases were dried over Na₂SO₄ and concentrated. The residue was combined with those of other two batches (corresponding to 0.11 g and 0.44 g of **B2313**) and purified by column chromatography (10% to 20% EtOAchexanes) to give a mixture of **B2307** and **B2308** (1.86 g, 83%) as a solid foam. Although the isomers could be separated by prep TLC (20% EtOAchexanes), they were carried forward as a mixture.

B2305 and B2306. The mixture of B2307/B2308 (1.80 g, 1.05 mmol) was dissolved in EtOH (20 mL), treated with PPTS (10.0 mg, 0.04 mmol), stirred at rt for 11 h and then quenched with NaHCO₃ (20.0 mg, 0.24 mmol). After stirring for 15 min, the mixture was concentrated, azeotroped with tolune (15 mL), and purified by column chromatography (20% to 30% EtOAc-hexanes) to give a mixture of B2305 and B2306 (1.22 g, 81%) as a solid foam. Although the isomers could be separated by prep TLC (30% EtOAc-hexanes), they were carried forward as a mixture.

B2304. A mixture of B2305/B2306 (1.16 g, 0.68 mmol), and Dess-Martin periodinane (0.61 g, 1.44 mmol) in CH $_2$ Cl $_2$ (35 mL) was stirred at rt for 1 h. Additional Dess-Martin periodinane (0.54 g, 1.27 mmol) was added to the mixture and stirring was continued for an additional 1 h. The mixture was diluted with Et $_2$ O (100 mL), stirred for 20 min and filtered through Celite with Et $_2$ O. The colorless filtrate was washed with saturated aqueous NaHCO $_3$ (100 mL) and the separated aqueous layer was extracted with Et $_2$ O (3X). The combined organic phases were dried over Na $_2$ SO $_4$, concentrated and purified by column chromatography (10% to 15% EtOAc-hexanes) to give B2304 (0.98 g, 84%) as a solid foam.

Alternatively, **B2304** may be prepared as follows and in fact the synthesis described below is superior to that given above.

15

20

B2317 ER804025

To a solution of the alcohol, 2.4 g, in methylene chloride, 29 mL, was added triflic anhydride, 770 mg. The mixture was stirred for 15 minutes, extracted with saturated sodium bicarbonate, dried and chromatographed to give 2.737 g, 100%.

To a solution of the mesylate, 405~mg, in DMF, 0.06~mL, was added di-isopropylethylamine, 0.130~mL, followed by benzenethiol, 0.061~mL. After 4 hours and after 22 hours, additional amine, 0.03~mL, and benzenethiol, 0.015~mL, were added. After 24 hours, the mixture was diluted with 5% ethyl acetate/hexane, 1~mL and chromatographed to give 409~mg.

To a solution of the sulfide, 1.97 g, in acetonitrile, 16 mL, was added N-methylmorpholine oxide (NMO), and then a solution of 1.02 g, tetrapropylammonium perruthenate(VII),

(TPAP), 38 mg, in acetonitrile, 1 mL. After 3.5 hours at room temperature, the mixture was heated to 40 °C for 1 hour. The mixture was cooled and aqueous satd. Sodium thiosulfate was added and the mixture partitioned between water and ethyl acetate. The usual work-up gave 1.567 g of a brown oil.

To a solution of the pivaloate ester, 1.567 g, in methylene chloride, 11.2 mL, at - 78 °C was added DIBAL, 2.5 mL of a 1 M solution in toluene. After 15 minutes, additional DIBAL, 0.8 mL, was added. After an additional 5 minutes, methanol, 0.46 mL, was slowly added followed by water, 0.2 mL. The mixture was filtered through Celite and chromatographed to give 1.386 g of an oil.

To a solution of the sulfone, 36 mg, in DME, 1 mL, at -40 °C was added n-butyllithium, 2.8 equivalents. After 35 minutes, a solution of the aldehyde, 42 mg, in DME, 0.5 mL, was

added. After 40 minutes, saturated aqueous ammonium chloride was added and the mixture extracted with ethyl acetate. The usual work-up, followed by chromatography gave 52 mg of an oil.

To a solution of the alcohol, 42 mg, in methylene chloride, 2 mL, was added the Dess Martin reagent, 36.4 mg. The mixture was stirred for 30 minutes and ether was added. The mixture was filtered through Celite, washed with saturated sodium bicarbonate, with saturated sodium thiosulfate, worked up in the usual way and chromatographed to give 38 mg of an oil.

Preparation of SmL, Solution

A solution of 1,2-di-iodoethane in $10\ mL$ of THF was added to a suspension of Sm, $0.16\ g$, in THF, $1\ mL$. The mixture was stirred for $1\ hour$.

20 An aliquot of this solution, 0.03 mL, was added to a solution of the sulfone in THF at -78 ° C. After 5 minutes, additional SmI reagent, 0.05 mL, as added. After a few additional minutes, more reagent, 0.25 mL, was added. The cooling bath was removed and saturated aqueous sodium bicarbonate, 3 mL, was added. The mixture was partitioned between ether and water and the usual work-up gave 9.1 mg, 81%, of an oil.

25

B2302 and B2303. In a glove box, NiCl₂/CrCl₂ (1% w/w, 1.09 g, 8.86 mmol) was added to a solution of B2304 (1.01 g, 0.70 mmol) in THF (600 mL) and DMF (150 mL) at rt. After stirring for 2 days the reaction mixture was taken out of the glove box, cooled to 0 °C, quenched with saturated aqueous NH Cl (300 mL) and stirred at 0 °C for 20 min. After addition of H,O (100 mL), the two layers were separated and the aqueous layer was extracted with EtOAc (5x). The combined organic phases were washed with brine, dried over Na,SO₄, concentrated and purified by column chromatography (15% EtOAc-hexanes) to furnish a mixture of B2302 and B2303 (0.84 g, 92%) as a solid foam. Although the isomers could be separated by prep TLC (20% EtOAc-hexanes), they were carried forward as a mixture.

B2301. A mixture of **B2302/B2303** (0.79 g, 0.60 mmol) and Dess-Martin periodinane (0.26 g, 0.60 mmol) in CH $_2$ Cl $_2$ (30 mL) at rt was stirred for 30 min. Additional Dess-Martin periodinane (0.26 g, 0.60 mmol) was added to the mixture and stirring was continued for additional 1.5 h. The mixture was then diluted with Et $_2$ O (100 mL), stirred for 15 min and filtered through Celite. The filtrate was washed with saturated aqueous NaHCO $_3$ (100 mL) and the separated aqueous layer was extracted with Et $_2$ O (3×). The combined organic phases were dried over Na $_2$ SO $_4$, concentrated and purified by column chromatography (10% to 15% EtOAc-hexanes) to give **B2301** (0.67 g, 85%) as an oil.

B1793. TBAF (1 M in THF containing 0.5 M imidazole HCl, 4.60 mL, 4.60 mmol) was added over 2 min to a solution of B2301 (0.62 g, 0.48 mmol,) in THF (29 mL) at rt and the resulting mixture was stirred for 18 h. After dilution with hexanes (10 mL), the reaction mixture was directly loaded onto a SiO $_2$ column packed with 50% EtOAc-hexanes and eluted with 50% EtOAc-hexanes (1 L) followed by 10% MeOH/EtOAc to collect a mixture of intermediates. After solvent removal, the residue was dissolved in CH $_2$ Cl $_2$ (15 mL) and treated with PPTS (645 mg). After stirring for 1 h at rt, additional PPTS (414 mg) was added and the resulting white suspension was stirred for 4.5 h. The reaction mixture was then directly loaded onto a SiO $_2$ column packed with 70% EtOAc-hexanes and eluted with 70% EtOAc/hexanes (0.5 L), EtOAc (1 L). Elution with 5% to 10% MeOH/EtOAc furnished pure B1793 (181 mg) and elution with 15% MeOH-EtOAc gave additional semi-pure product, which after purification by preparative TLC (10% MeOH-EtOAc) provided additional pure B1793 (42 mg). B1793 (total 223 mg, 64%) was obtained as a white solid. HRMS: calcd for $C_{40}H_{58}O_{12}$ + Na 753.3826. Found: 753.3808.

20

5

B1794. Except for stereochemical and protecting group differences (Schemes 3 and 5), arabinose was converted to **B1794** in a manner similar to that described for **B1793** (see schemes 4 and 5). HRMS: calcd for $C_{40}H_{58}O_{12} + Na$ 753.3826. Found: 753.3856.

Synthesis of Representative B1793 Analogs:

B1920 and B1921 TsCl (9.9 mg, 0.052 mmol) was added to a solution of diol B1793 (7.6 mg, 0.010 mmol) in CH_2Cl_2 (1 mL) and pyridine (0.1 mL) at rt. After 48 h, the reaction was quenched with a 1:4 mixture of saturated aqueous $NaHCO_3$ -brine and extracted with CH_2Cl_2 (4×). The combined extracts were dried over Na_2SO_4 and concentrated. Purification by

preparative TLC (80% EtOAc-hexanes) afforded monotosylate **B1920** (6.0 mg, 67%), and ditosylate **B1921** (1.8 mg, 18%).

B2294 MsCl (0.3 M in CH₂Cl₂, 98 μ L, 0.030 mmol) was added dropwise over 40 min to a mixture of collidine (7 μ L, 0.054 mmol), **B1793** (20.8 mg, 0.028 mmol) and CH₂Cl₂ (1 mL) at 0 °C. After 76 h at 4 °C, the reaction was quenched with a 1:4 mixture of saturated aqueous NaHCO₃-brine and extracted with CH₂Cl₂ (4×). The combined extracts were dried over Na₂SO₄ and concentrated. The crude product was dissolved in toluene (3 mL) concentrated and purified by preparative TLC (1.5% MeOH-EtOAc) to afford mesylate **B2294** (21.4 mg, 95%).

B2014 and **B2015** A 0.016 M solution of 4-fluorobenzyl bromide in Et₂O (800 μ L, 13 μ mol) and Ag₂O (10 mg, 43 μ mol) were each added in three portions at 1 h intervals to a rt solution of **B1793** (1.7 mg, 2.3 μ mol) in Et₂O (1.2 mL). The mixture was protected from light, stirred for 7 h and then filtered through Celite. Concentration and purification by preparative TLC (EtOAc) afforded primary ether **B2014** (1.1 mg, 56%), and secondary ether **B2015** (0.6 mg, 31%). HRMS (FAB): calcd for C₄₇H₆₃FO₁₂ + Na 861.4201. Found: for **B2014** 861.4178, for **B2015** 861.4160.

25

General. A mixture of **B1793** (1 mg, 1.37 micromol), Et₃N (10 microl., 72 micromol) and ArNCO (2 to 4 equiv.) in CH_2Cl_2 (0.2 mL) was stirred at rt for 4 h to overnight until the reaction was judged to be complete by TLC. The reaction mixture was diluted with saturated NaHCO₃ (3 mL), extracted with CH_2Cl_2 (3x) and EtOAc (2x), dried over Na_2SO_4 and purified by preparative TLC (5% MeOH-CH,Cl₂) to afford the products:

B1984. (1.0 mg, 86%) HRMS (FAB): calcd for $C_{47}H_{63}NO_{13} + Na$ 872.4197. Found: 872.4214.

B1990. (1.1 mg, 92%) HRMS (FAB): calcd for $C_{47}H_{62}CINO_{13} + Na$ 906.3807.

10 Found: 906,3826.

5

B1992. (1.0 mg, 83%) HRMS (FAB): calcd for $C_{48}H_{65}NO_{14} + Na$ 902.4303.

Found: 902.4269.

B2042 DEAD (0.4 M in ether, 50 μL, 19 μmol) was added to a solution of **B1793** (2.0 mg, 2.7 μmol), triphenylphosphine (5 mg, 19 μmol), 4-nitrobenzoic acid (3.2 mg, 19 μmol) and Et₂O (500 μL) at rt. After 22 h, the reaction mixture was loaded directly onto a preparative TLC plate and eluted with 60% EtOAc-hexanes to give the intermediate diester (3.0 mg). This material was taken up in MeOH (300 μL) and treated with K_2CO_3 (approximately 1 mg). After stirring at rt for 30 min, the reaction mixture was diluted with brine and extracted with CH₂Cl₂ (5x). The combined extracts were dried over Na₂SO₄, concentrated and purified by preparative TLC (5% MeOH-EtOAc) to afford **B2042** (1.2 mg, 60% for two steps). HRMS (FAB): calcd for C_4 0 H₃₈O₁₂ + Na 753.3826. Found: 753.3810.

B1896, B1897

B1896 and B1897. NaBH₄ (3 mg, 0.08 mmol) was added to a solution of B1793 (2.30 mg, 3.15 μmol) in 1:1 CH₂Cl₂-MeOH (0.2 mL) at rt. Concentration of the reaction mixture and purification by preparative TLC (8% MeOH-EtOAc) provided B1896 (0.80 mg, 35%) and B1897 (2:1 mixture, 0.15 mg, 6.5%). HRMS (FAB) for B1896: calcd for C₄₀H₆₀O₁₂ + Na 755.3983. Found: 753.3969.

B1918. A mixture of **B1793** (2.0 mg, 2.74 μmol), NaIO₄ (35 mg, 0.16 mmol), MeOH (0.8 mL) and H₂O (0.2 mL) was stirred at rt for 40 min. The reaction mixture was diluted with H2O (1 mL), extracted with CH2Cl2 (6×), dried over Na2SO4, concentrated and purified by column chromatography (5% MeOH-CH₂Cl₂) to give B1918 (1.9 mg, 100%).

B2037. A 0.034 M solution of NaBH₄ (0.1 mL, 3.4 μ mol) in EtOH was added portion-wise to a solution of B1918 (1.9 mg, 2.72 μ mol) in MeOH (0.8 mL) and CH₂Cl₂ (0.2 mL) at -78 $^{\circ}$ C to rt until the reaction was judged to be complete by TLC. The reaction was quenched with saturated aqueous NH₄Cl (2 mL) at -78 °C, warmed to rt, extracted with CH₂Cl₂ (6x), dried over Na₂SO₄ and purified by preparative TLC (5% MeOH- CH₂Cl₂) to afford **B2037** (1.7 mg, 89%). HRMS (FAB): calcd for $C_{39}H_{56}O_{11} + Na$ 723.3720. Found: 723.3749.

15

25

B2035

NaIO₄ (35 mg, 0.16 mmol) was added to a solution of B1793 (1.7 mg, 0.0023) mmol), MeOH (800 μ L) and H₂O (200 μ L) and after 15 min, the mixture was diluted with H₂O and extracted with CH2Cl2 (5x). The organic extracts were dried over Na2SO4, concentrated and the intermediate aldehyde was immediately dissolved in DMF (300 µL). 3-Bromo-3.3difluoropropene (3µL, 0.023 mmol) and indium powder (3 mg, 0.23 mmol) were added and after 24 h additional 3-bromo-3,3-difluoropropene (1 µL, 0.008 mmol) was added. After 18 h, H,O was added the mixture was extracted with EtOAc (3×). The combined organic extracts were washed successively with H2O and brine, dried over Na2SO4, concentrated and purified by preparative TLC (80% EtOAc-hexanes) to provide B2035 (0.74 mg, 41% for 2 steps) as a mixture of isomers. HRMS (FAB): calcd for $C_{42}H_{58}F_2O_{11}$ + Na 799.3845. Found: 799 3883

15

10

5

B2008, B2011

NaBH, (2 mg, 0.05 mmol) was added to a solution of B1793 (2.2 mg, 0.003 mmol) in 1:1 CH₂Cl₂-MeOH (200 µL) at rt. After 15 min saturated aqueous NH,Cl and H₂O were added, and the mixture was extracted with CH2Cl2 (6x) and EtOAc (2x). The combined organic extracts were dried over Na2SO4, concentrated and purified by column chromatography (10% MeOH-EtOAc) to provide an intermediate triol, which was dissolved in MeOH (800 μL) and H,O (200 µL). NaIO₄ (35 mg, 0.16 mmol) was added and after 20 min, the mixture was diluted with H2O and extracted with CH2Cl2 (6x). The organic extracts were dried over

25

5

10

15

 Na_2SO_4 , concentrated and the intermediate aldehyde was immediately dissolved in THF (500 μ L). 4-Fluorophenylmagnesium bromide (2M in Et₂O, 12 μ L, 0.024 mmol) was added and after 20 min the reaction was quenched with saturated aqueous NH₄Cl. The mixture was extracted with CH₂Cl₂ (6x) and the combined organic extracts were dried over Na₂SO₄ and concentrated. Purification by preparative TLC (EtOAc) provided the desired product as a mixture of 4 isomers (1.32 mg, 55% for 3 steps).

Dess-Martin periodinane (~3 mg, 0.007 mmol) was added to a solution of the above product (0.95 mg, 0.0012 mmol) in CH₂Cl₂ (300 μ L) and the mixture was stirred at rt for 20 min. Additional Dess-Martin periodinane (~3 mg, 0.007 mmol) and CH₂Cl₂ (300 μ L) were added and after another 40 min Et₂O, saturated aqueous NaHCO₃ (4 mL) and saturated aqueous Na₂S₂O₃ (1 mL) were added. The mixture was extracted with Et₂O (3×) and the combined extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAc-hexanes) to provide **B2008** (0.58 mg, 61%). HRMS (FAB): calcd for C₄₅H₁₇₇FO₁₁ + Na 815.3783. Found: 815.3758.

B2011. In an analogous manner, B1793 (1.9 mg, 0.003 mmol) was converted to B2011 (0.87 mg, 42% for 4 steps). HRMS (FAB): calcd for $\rm C_{45}H_{58}O_{11}+Na$ 797.3877. Found: 797.3877.

B2013

B1920

A solution of **B1920** (1.4 mg, 0.0016 mmol), KCN (1 mg, 0.016 mmol) and DMSO (500 μ L) was heated at 60 °C for 8 h. After cooling to rt, H₂O was added and the mixture was extracted with EtOAc (3×). The combined organic extracts were washed successively with H₂O and brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (80% EtOAc-hexanes) to provide **B2013** (0.78 mg, 67%). HRMS (FAB): calcd for C₄₁H₅₇NO₁₁ + Na 762,3829. Found: 762,3848.

B2013

X1920

A mixture of B1920 (1.3 mg, 1.47 μ mol), NaI (30 mg, excess) and acetone (1 mL) was stirred at 60 °C for 3.5 h. After cooling to rt, the reaction mixture was diluted with saturated aqueous NaHCO $_3$ (3 mL), extracted with CH $_2$ Cl $_2$ (5×) and EtOAc, dried over Na $_2$ SO $_4$ and purified by column chromatography (50% EtOAc-CH $_2$ Cl $_2$ to 80% EtOAc-hexanes) to give the iodide X1920 (1.3 mg, 100%).

B1998: Ar = p-Cl-Ph **B2010**: Ar = p-MeO-Ph **B2019**: Ar = 2-imidazole

General. A mixture of iodide X1920 (1.0 equiv.), iPr₂EtN (11 to 22 equiv.), ArSH (9 to 46 equiv.) and DMF (0.3 mL) was stirred at rt until the reaction was judged to be complete by TLC (typically 24 to 48 h). The reaction mixture was diluted with saturated aqueous NaHCO₃ (2 mL), extracted with CH₂Cl₂ and EtOAc, dried over Na₂SO₄ and purified by preparative TLC (80% EtOAc-hexanes or 5% MeOH-CH,Cl₃) to afford the sulfide products:

B1998. (1.3 mg gave 1.1 mg, 85%) HRMS (FAB): calcd for $C_{46}H_{61}ClO_{11}S + Na$ 897.3521. Found: 897.3533.

B2010. (1.1 mg gave 0.7 mg, 59%). HRMS (FAB): calcd for $C_{47}H_{64}O_{12}S + Na$ 875.4016. Found: 875.4057.

B2019. (1.1 mg gave 0.7 mg, 61%) MS (FAB): M + Na

15

10

5

B1998: Ar = p-Cl-Ph **B2010**: Ar = p-MeO-Ph

B2016: Ar = p-Cl-Ph **B2030**: Ar = p-MeO-Ph

20

25

 $\label{eq:General.} \begin{tabular}{ll} General. A 0.01 M solution of mCPBA (1.2 equiv.) in CH_2Cl_2 was added to a solution of a sulfide (1.0 equiv.) in CH_2Cl_2 (0.5 mL) at 0 °C for 30 min. The reaction mixture was diluted with saturated NaHCO_3 (2 mL), extracted with CH_2Cl_2 and EtOAc, dried over Na_2SO_4 and purified by preparative TLC (80% EtOAc-hexanes or EtOAc) to afford the products:$

B2016. (0.9 mg gave 0.7 mg, 74%)

B2030. (1.0 mg gave 0.6 mg, 61%) HRMS (FAB): calcd for $C_{47}H_{64}O_{14}S + Na$ 907.3914. Found: 907.3950.

B1934. TBDPSCl (3.0 μ L, 12 μ mol) was added to a solution of **B1793** (1.3 mg, 1.78 μ mol), imidazole (10 mg, 166 μ mol) and DMF (0.10 mL) at rt. After stirring for 1 h, the reaction mixture was diluted with saturated aqueous NaHCO₃ (2 mL), extracted with CH₂Cl₂ (3×) and EtOAc (2×), dried over Na₂SO₄ and purified by preparative TLC (5% MeOH-CH₂Cl₂) to give the intermediate silyl ether (1.3 mg, 77%).

This material was dissolved in CH_2Cl_2 (0.5 mL) and treated with Dess-Martin periodinane (10 mg, $24~\mu mol$) for 1.5 h at rt, diluted with Et₂O and filtered through Celite. The filtrate was concentrated and purified by preparative TLC (50% EtOAc-hexanes) to afford the diketone intermediate (1.0 mg, 77%), which was dissolved in THF (0.5 mL) and treated with 0.02 M TBAF containing 0.01 M imidazole hydrochloride (THF solution, 75 μ L, 1.5 μ mol) at rt for 15 min. The reaction mixture was eluted through a SiO₂ column (50% EtOAc-hexanes to 5% MeOH-CH₂Cl₂) and the desired product was further purified by preparative TLC (5% MeOH-CH₂Cl₂) to afford B1934 (0.75 mg, 100%). HRMS (FAB): calcd for $C_{ab}H_{56}O_{12}$ + Na 751.3669. Found: 751.3690.

B1922 Tetra-n-butylammonium azide (0.2 M in DMF, 0.5 mL, 0.10 mmol) was added to a solution of mesylate **B2294** (21.4 mg, 0.026 mmol) in DMF (2 mL) at rt. After stirring at 83 °C for 3.5 h, the reaction mixture was cooled to rt, diluted with toluene, concentrated and purified by preparative TLC (80% ethyl acetate-hexanes) to furnish **B1922** (18 mg, 92%).

B1922

B1939

20

5

 $B1939~Me_3P~(1~M~in~THF)~and~H_2O~(0.8~mL)~were sequentially added to a solution of azide <math display="inline">B1922~(24.6~mg,~0.032~mmol)~in~THF~(3.2~mL)~at~rt.~ The mixture was stirred for 22 h, diluted with toluene, concentrated and purified by flash chromatography [step gradient, 10% MeOH-EtOAc followed by MeOH-EtOAc-30% aqueous NH_4OH~(9:86:5)] to provide the desired primary amine (23.3 mg), which by <math display="inline">^1\text{H-NMR}$ contained $\sim\!1\%$ trimethylphosphine oxide. Lyophilization from benzene and standing under high vacuum for 2 d furnished B1939~(20.3~mg,~87%).

10 Synthesis of Representative B1939 Analogs:

B1930, B1940, B1973, B1987, B1988, B1991, B2003, B2004

 $B1930~Me_5P$ (1 M in THF, 13 $\mu L,$ 0.013 mmol) was added to a solution of B1922 (1.6 mg, 2.1 $\mu mol),$ THF (400 $\mu L)$ and H_2O (100 $\mu L)$ at rt. The mixture was stirred for 22 h, diluted with toluene, concentrated, and azeotropically dried with toluene (2×) to give the crude amine which was used directly in the next step.

EDC (0.06 M in CH₂Cl₂, 100 μ L, 11 μ mol) was added to a solution of the crude amine, benzoylformic acid (0.8 mg, 5.3 μ mol) and CH₂Cl₂ (200 μ L) at rt. After 30 min, the reaction

35

5

10

15

was quenched with a 1:4 mixture of saturated aqueous $NaHCO_3$ -brine and extracted with CH_2Cl_2 (5×). The combined extracts were dried over Na_2SO_4 and concentrated and purified by preparative TLC (EtOAc) to afford **B1930** (1.5 mg, 83% for two steps). HRMS (FAB): calcd for $C_{48}H_{64}NO_{13} + Na$ 884.4197. Found: 884.4166.

B1940 Using the procedure described above for B1930, B1922 was reduced, coupled with 3-pyridylacetic acid hydrochloride and purified by preparative TLC [(MeOH-EtOAc-30% aqueous NH₄OH (9:86:5)] to afford B1940 (0.8 mg, 67 % for two steps). HRMS (FAB): calcd for C₄₇H₆₄N₂O₁₂ + Na 871.4357. Found: 871.4362.

B1973 Using the procedure described above, **B1922** (0.9 mg, 1.2 μ mol) was reduced, coupled with phenylacetic acid and purified by preparative TLC (5% MeOH-EtOAc) to afford **B1973** (0.44 mg, 44 % for two steps). HRMS (FAB): calcd for $C_{48}H_{65}NO_{12} + Na$ 870.4404. Found: 870.4447.

B1987 Using the procedure described above, B1922 (0.9 mg, 1.2 μ mol) was reduced, coupled with 3-indoleglyoxylic acid and purified by preparative TLC (3% MeOH-EtOAc) to afford B1987 (0.8 mg, 75 % for two steps). HRMS (FAB): calcd for $C_{50}H_{64}N_2O_{12}$ + Na 923.4306. Found: 923.4338.

B1991 Using the procedure described above, **B1922** (1.0 mg, 1.3 μ mol) was reduced, coupled with 4-chlorobenzoic acid and purified by preparative TLC (3% MeOH-EtOAc) to afford **B1991** (0.8 mg, 70 % for two steps). HRMS (FAB): calcd for $C_{47}H_{62}CINO_{12} + Na$ 890.3858. Found: 890.3843.

B2003 Using the procedure described above, **B1922** (1.0 mg, 1.3 μ mol) was reduced, coupled with 3,4,5-trimethoxybenzoylformic acid and purified by preparative TLC (EtOAc) to afford **B2003** (0.7 mg, 56 % for two steps). HRMS (FAB): calcd for $C_{s_1}H_{e9}NO_{16} + Na$ 974.4514. Found: 974.4525.

B2004 Using the procedure described above, **B1922** (1.0 mg, 1.3 μ mol) was reduced, coupled with 3,4,5-trimethoxybenzoic acid and purified by preparative TLC (5% MeOH-EtOAc) to afford **B2004** (0.7 mg, 58 % for two steps). HRMS (FAB): calcd for C₄₉H₆₄NO₁₃ + Na 946.4565. Found: 946.4599.

B1988 Dess-Martin periodinane (1 mg, $2.3~\mu$ mol) was added to a solution of **B1930** (0.80 mg, 0.93 μ mol) in CH₂Cl₂ (500 μ L) at rt. After 1 h, the reaction was diluted with Et₂O and filtered through Celite. The filtrate was washed sequentially with a 1:9 mixture of saturated aqueous NaHCO₃-Na₂S₂O₃ and brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (80% EtOAc-hexanes) to afford **B1988** (0.45 mg, 56%). HRMS (FAB): calcd for C₄₈H₆₁NO₁₃ + Na 882.4041. Found: 884.4012.

HSPh

Compound 103. Indium powder (1.35 g, 11.8 mmol) was added to a solution of 102 (3.38 g, 17.6 mmol) in DMF (20 mL) at rt. After stirring for 30 min, the reaction mixture was cooled to 0 °C. Neat aldehyde 101 (3.72 g, 28.6 mmol) was then added and the mixture was stirred overnight while allowing the temperature to warm to rt. The reaction mixture was recooled to 0 °C and then quenched carefully with saturated aqueous NH₄Cl (100 mL). After stirring for 30 min, the resulting mixture was extracted with Et₂O (3×), dried over Na₂SO₄, concentrated and purified by column chromatography (10% to 20% EtOAc-hexanes) to give pure crystalline 103 (2.20 g, 59%).

Compound 104. Et₃N (72 μ L, 0.51 μ mol) was added to a solution of 103 (1.09 g, 5.13 mmol) and thiophenol (0.63 mL, 7.16 mmol) in CH₂Cl₂ and the resulting mixture was stirred at 0 °C for 1 h. Filtration through SiO₂ gave a mixture of 104 and 105, which after MPLC (15% to 20% EtOAc-hexanes) afforded 104 (0.53 g, 32%) and 105 (0.92 g, 56%).

30

5

10

Compound 106. DIBALH (1 M in toluene, 3.28 mL, 3.28 mmol) was added to a solution of 104 (0.53 g, 1.64 mmol) in toluene (10 mL) at -78 °C and the mixture was stirred

106

-78°C for 10 min. The reaction was quenched by careful addition of MeOH (0.40 mL, 9.84 mmol) and H₂O (0.17 mL, 9.84 mmol), warmed to rt and stirred for 20 min. The white suspension was filtered through a mixture of Celite and SiO2 with 1:1 CH2Cl2-Et2O and concentrated to give 106 (0.53 g, 100%) as an oil.

Compound 107. A mixture of 106 (0.53 g, 1.64 mmol) and ethyl (triphenylphosphoranylidene)acetate (1.15 g, 3.29 mmol) in toluene (10 mL) was heated to 80 °C for 15 h. The mixture was cooled to rt and DBU (25 μ L, 0.16 mmol) was introduced. The mixture was heated to 80 °C for 1.5 h, cooled to rt, concentrated and purified by column chromatography (10% to 20% EtOAc-hexanes) to give 107 (0.54 g, 83%) as an oil (3:1 ratio of α:β isomers).

107 108

Compound 108. A solution of mCPBA (~55%, 450 mg in 4.5 mL CH₂Cl₂, 1.44 mmol) was added to a solution of 107 (0.54 g, 1.36 mmol) in CH₂Cl₂ (10 mL) at -78 °C. The

30

5

10

reaction mixture was diluted with saturated aqueous NaHCO3 (50 mL), H2O (10 mL), and Et.O (60 mL) and then warmed to rt. The separated aqueous layer was extracted with EtOAc (4x) and the combined organic phases were dried over Na, SO,, concentrated and purified by column chromatography (50% EtOAc-hexanes) to give 108 (0.51 g, 92%) as an oil.

Compound 109. A mixture of 108 (0.51 g, 1.24 mmol) and NaOAc (1.00 g, 12.4 mmol) in Ac₂O (10 mL) was stirred at 140 °C for 12 h, cooled to rt and then concentrated. The residue was partitioned between saturated aqueous NaHCO3 (20 mL) and Et2O (30 mL), and stirred vigorously at rt for 30 min. The separated aqueous layer was extracted with Et.O (2x), and the combined organic phases were dried over Na,SO4, concentrated and purified by column chromatography (5% to 15% EtOAc-hexanes) to give 109 (0.41 g. 73%) as an oil.

109

Compound 110. A mixture of 109 (0.41 g, 0.91 mmol) and K₂CO₃ (44.3 mg, 0.32 mmol) in EtOH (5 mL) was heated to 60-70 °C for 1 d. After cooling to rt, the reaction mixture was concentrated and eluted through a SiO2 column (10% to 20% EtOAc-hexanes) to give the partially purified aldehyde intermediate. This material was dissolved in EtOH (2.5 mL), treated with NaBH₄ (50 mg, 1.32 mmol) and stirred at rt for 30 min. The mixture was concentrated and purified by column chromatography (40% EtOAc-hexanes) to give 110 (181 mg, 66%).

30

5

10

110 111

Compound 111. BF₃•OEt₂ (0.05 M in CH₂Cl₂, 175 μL, 8.75 μmol) was added to a solution of 110 (181 mg, 0.60 mmol) and p-methoxybenzyl 2,2,2-trichloroacetimidate (0.50 mL, 1.80 mmol) in CH2Cl2 (5 mL) at 0 °C. The resulting mixture was stirred for 1.5 h at 0 °C and for 2 h at rt until the reaction was complete. The mixture was quenched with saturated aqueous NaHCO3 (25 mL) and extracted with Et2O (5x). The combined organic phases were dried over Na2SO4, concentrated and purified by column chromatography (CH2Cl2 and then 20% EtOAc-hexanes) to give semi-pure 111 (0.37 g, >100%) as an oil.

Compound 112. A mixture of 111 (0.37 g, max.= 0.60 mmol) and TsOH•H₂O (36 mg) in EtOH (5 mL) was stirred initially at rt overnight and then at 60 °C for 1 h. Additional TsOH•H₂O (31 mg) was added at rt and the reaction mixture was stirred for 1 h at rt. The mixture was then concentrated, quenched with saturated aqueous NaHCO, and extracted with EtOAc (5x). The combined organic phases were dried over Na, SO4, concentrated and purified by column chromatography (20% to 50% EtOAc-hexanes and then 5% MeOH-CH2Cl2) to give 112

112

(121 mg, 53%) as an oil along with recovered 111 (49 mg, 21%).

112 113

5

10

Compound 113. TBSOTf (250 μ L, 1.09 mmol) was added to a solution of 112 (121 mg, 0.32 mmol) and Et₃N (176 μ L, 1.26 mmol) in CH₂Cl₂ at 0 °C and the resulting mixture was stirred for 25 min. The reaction was quenched with saturated aqueous NaHCO₃ (15 mL) and the separated aqueous layer was extracted with ether (3×). The combined organic phases were dried over Na₂SO₄, concentrated and purified by column chromatography (5% to 10% EtOAc/hexanes) to give 113 (165 mg, 85%) as an oil.

Compound 114. DIBALH (1 M in toluene, 0.54 mL, 0.54 mmol) was added to a solution of 113 (165 mg, 0.27 mmol) in toluene (5 mL) at -78 °C and the resulting mixture was stirred at -78 °C for 10 min. The reaction was quenched by careful addition of MeOH (65 μ L, 0.81 mmol) and H₂O (29 μ L, 0.81 mmol), warmed to rt and stirred for 25 min. The white suspension was filtered through Celite with 1:1 CH₂Cl₂-Et₂O. Concentration and purification by column chromatography (10% to 20% EtOAc-hexanes) gave 114 (153 mg, 100%) as an oil.

B2090. In a manner similar to that described in Scheme 6 for the synthesis of **B1794**, intermediate **114** was converted to **B2090**. HRMS (FAB): calcd for $C_{39}H_{56}O_{11}+Na$ 723.3720. Found: 723.3731.

 $\label{eq:B2336} \textbf{B2336}. \ \text{In a manner analogous to that of B1939}, B2090 \ \text{was converted to B2136}.$ HRMS (FAB): calcd for $C_{39}H_{57}NO_{10}+Na$ 722.3880. Found: 722.3907.

Synthesis of B2039/B2043:

Diol 201 TBAF (1 M in THF, 383 μ L, 0.383 mmol) was added to a solution of **X2318** (350-LS-218) (80.8 mg, 0.0765 mmol) in THF (7 mL) and stirred at rt for 16 h. After partial concentration, the residue was loaded directly onto a SiO₂ column packed using 30% EtOAc-hexanes. Gradient elution (30% EtOAc-hexanes to EtOAc) furnished diol **201** (49.7 mg, 92%).

Aldehyde 202 A mixture of diol 201 (49.7 mg, 0.0707 mmol), $NaIO_4$ (100 mg, 0.47 mmol), MeOH (10 mL) and H_2O (2.5 mL) was stirred at rt for 30 min. H_2O was added and the mixture was extracted with CH_2CI_2 (4×). The combined organic extracts were dried over Na_2SO_4 , concentrated and purified by column chromatography (30% EtOAc-hexanes) to provide aldehyde 202 (41.7 mg, 88%).

20

Alcohol 203 4-Fluorophenylmagnesium bromide (2 M in Et₂O, 155 μ L, 0.31 mmol) was added to a solution of aldehyde 202 (41.7 mg, 0.062 mmol) in THF (6 mL). After 15 min at rt, the reaction was quenched with saturated aqueous NH₄Cl and extracted with CH₂Cl₂ (4×). The combined organic extracts were dried over Na₂SO₄, concentrated and purified by preparative TLC (40% EtOAc-hexanes) to provide alcohol 203 (32.4 mg, 68%) as a 1:1 mixture of C34 isomers. The minor undesired C27 isomer was separated at this stage and was also isolated as a 1:1 mixture of C34 isomers (8.4 mg, 18%).

Ether 204 Et₃N (18 μ L, 0.13 mmol) and TBSOTf (15 μ L, 0.063 mmol) were added to a solution of alcohol 203 (32.4 mg, 0.042 mmol) in CH₂Cl₂ (5 mL) at 0 °C. After 20 min the reaction was quenched by the addition of saturated aqueous NH₄Cl and extracted with CH₂Cl₂ (3×). The combined organic extracts were dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAc-hexanes) to provide ether 204 (33.1 mg, 89%).

Alcohol 205 LAH (1 M in THF, 113 μL, 0.113 mmol) was added dropwise to a solution of ether 204 (33.1 mg, 0.0375 mmol) in Et₂O (10 mL) at 0 °C. After 20 min, H₂O and 1 M NaOH were added and the mixture was stirred at rt for 10 min. Filtration through Celite, concentration and purification by column chromatography (40% EtOAc-hexanes) furnished alcohol 205 (28.4 mg, 95%).

Ether 206 Diisopropylethylamine (31 μ L, 0.18 mmol) and MMTrCl (22 mg, 0.071 mmol) were added to a solution of alcohol 205 (28.4 mg, 0.0356 mmol) in CH₂Cl₂ (4 mL) at 0 °C. After 15 h at rt, H₂O was added and the mixture was extracted with CH₂Cl₂ (3×). The combined extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (40% EtOAc-hexanes) to provide ether 206 as a ~1.5:1 mixture of C34 epimers (45 mg, quant), which contained a small amount of close-running impurities.

Alcohol 207 DDQ (40 mg, 0.18 mmol) was added to a solution of ether 206 (37 mg, 0.034 mmol) in CH₂Cl₂ (4 mL) and a 1:10 mixture of tBuOH:pH 7 phosphate buffer (2 mL) at 0 °C. The mixture was stirred vigorously in the dark for 15 min. Three additional portions of DDQ (40 mg, 0.18 mmol) were added at 10 min intervals, then the reaction was diluted with saturated aqueous NaHCO₃ and extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (30% EtOAc-hexanes) to provide alcohol 207 (19.2 mg, 59%) as well as recovered ether 206 (9.7 mg, 26%).

Mesylates 208A and 208B Et₃N (19 μ L, 0.13 mmol) and Ms₂O (10 mg, 0.056 mmol) were sequentially added to a solution of alcohol 207 (21.3 mg, 0.022 mmol) in CH₂Cl₂ (6 mL) at 0 °C. After 30 min, saturated aqueous NaHCO₃ was added and the mixture was extracted with CH₂Cl₂ (3×). The combined extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (30% EtOAc-hexanes) to provide mesylates 208A (11.7 mg, 51%) and 208B (6.5 mg, 28%) as single C34 isomers.

20

25

208A and 208B

B2039, B2043

X- 20

B2039 and B2043. In a manner similar to that described in Scheme 6 for the synthesis of B1794, both diastereomers 208A and 208B were independently converted to **B2039** and **B2043**. HRMS (FAB): calcd for $C_{45}H_{59}FO_{11} + Na$ 817.3939. Found: for B2039 817.3896, B2043 817.3910.

Synthesis of B2086, B2088, B2091

Alcohol X-20 NaIO₄ (1.16 g, 5.4 mmol) was added to a solution of diols 10 a, b (1.19 g, 3.0 mmol) in MeOH-H₂O (4:1, 75 mL) at 0 °C. The reaction mixture was allowed to warm to rt. After stirring for 40 min, the mixture was diluted with EtOAc, filtered through Celite, concentrated, and partitioned between brine and CH2Cl2. The separated aqueous layer was extracted with CH2Cl2 (2x). The combined organic layers were dried over Na,SO4 and concentrated to furnish the crude aldehyde intermediate.

NaBH, (228 mg, 6.0 mmol) was added to a solution of the aldehyde in MeOH-Et,O (1:1, 40 mL) at 0 °C. The mixture was stirred for 30 min, carefully quenched with saturated aqueous NH4Cl, stirred for 20 min at rt and extracted with CH2Cl2 (3x). The combined

30

5

10

extracts were dried over Na_sSO_4 , concentrated and purified by flash chromatography (40% to 50% EtOAc-hexanes) to afford alcohol **X-20** (1.02 g, 93% for two steps).

Silyl ether 21 Imidazole (0.94 g, 13.9 mmol) and TBSCl (0.59 g, 3.89 mmol) were added sequentially to a solution of alcohol X-20 (1.02 g, 2.78 mmol) in DMF (10 mL) at rt. After 14 h, the reaction mixture was diluted with saturated aqueous NH₄Cl and extracted with EtOAc (3×). The combined organic extracts were washed with H₂O, brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (5% to 15% EtOAc-hexanes) to afford silyl ether 21 (1.3 g, 98%).

TBSO PV
$$\frac{H_2}{Pd(OH)_2/C}$$
 $\frac{MeQ}{TBSO}$ OPV

Alcohol 22 A mixture of Pd(OH)₂ (20%, 0.8 g), silyl ether 21 (1.3 g, 2.70 mmol) and EtOAc (30 mL) was stirred for 1 h under 1 atm H₂ at rt, filtered through Celite, concentrated and purified by flash chromatography (20% to 40% EtOAc-hexanes) to afford alcohol 22 (0.96 g, 91%).

Alcohol 25 4-Methylmorpholine N-oxide (980 mg, 8.4 mmol) and TPAP (131 mg, 3.26 mmol) were added sequentially to a solution of alcohol 22 (1.78 g, 4.6 mmol) in $\mathrm{CH_2Cl_2}$ (45 mL) at rt. A cold bath was necessary to control the exotherm. After 20 min, the reaction mixture was diluted with hexanes, filtered through a short $\mathrm{SiO_2}$ column (15% EtOAc-hexanes) and concentrated to give the crude ketone.

Tebbe reagent (14.9 mL, 9.0 mmol) was added over 10 min to a solution of the crude ketone in THF (60 mL) at 0 $^{\circ}$ C. After 20 min, the reaction mixture was poured into Et₂O (100 mL) that was precooled to -78 $^{\circ}$ C, quenched by slow addition of H₂O (30 mL), warmed to rt., stirred for 30 min and extracted with Et₂O (4×). The combined extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (10% EtOAchexanes) to afford the desired olefin contaminated by the gem-dimethyl product (1.07 g). This mixture was used directly in the next step.

9-BBN (0.5 M in THF, 11.6 mL, 5.8 mmol) was added to a solution of the olefin in THF (15 mL) at 0 °C. The reaction mixture was allowed to warm to π t, stirred for 5 h and then recooled to 0 °C. H₂O (60 mL), THF (60 mL) and NaBO₃*4 H₂O (5.7 g) were added. After stirring for 5 h at π t, the THF was removed under reduced pressure and the aqueous residue was extracted with EtOAc (4×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (20% to 40% EtOAchexanes) to furnish alcohol **25** (605 mg, 18% for three steps).

Alcohol 26 Using the procedure previously described, alcohol 25 (604 mg, 1.49 mmol) was sequentially oxidized, isomerized, and reduced. Purification by flash chromatography (20% to 40% EtOAc-hexanes) afforded alcohol 26 (550 mg, 91% for three steps).

MPM-ether 27 BF $_3$ *OEt $_2$ (0.05 M in CH $_2$ Cl $_2$, 270 μ L, 0.013 mmol) was added to a solution of alcohol 26 (545 mg, 1.35 mmol) and MPM-trichloroimidate (1.14 g, 4.0 mmol) in CH $_2$ Cl $_2$ (40 mL) at 0 °C. After 1 h, the reaction was quenched with saturated aqueous NaHCO $_3$, extracted with CH $_2$ Cl $_2$, dried over Na $_2$ SO $_4$, concentrated and purified by flash chromatography (10% to 15% EtOAc-hexanes) to afford MPM-ether 27 (580 mg, 82%).

30

5

10

Alcohol 28 LAH (1 M in THF, 1.9 mL, 1.9 mmol) was added to a solution of MPM-ether 27 (580 mg, 1.11 mmol) in Et₂O (100 mL) at 0 °C. After 30 min, the reaction was quenched carefully with H₂O (0.5 mL), and 1 N aqueous NaOH (0.5 mL), stirred for 1 h at rt. filtered through Celite, concentrated and purified by flash chromatography (30% to 50% EtOAc-hexanes) to afford alcohol 28 (460 mg, 95%).

28

Olefin 29 DMSO (441 μL, 6.23 mmol) was added to a solution of oxalyl chloride (272 μL, 3.12 mmol) in CH₂Cl₂ (30 mL) at -78 °C. After 15 min, a solution of alcohol 28 (458 mg, 1.04 mmol) in CH₂Cl₂ (15 mL) was added to the reaction mixture. After stirring for 1 h at -78 °C, Et₃N (1.3 mL, 9.35 mmol) was added. The reaction mixture was warmed to 0 °C, stirred for 10 min, diluted with saturated aqueous NH₄Cl and extracted with CH₂Cl₂ (3×). The combined organic extracts were dried over Na, SO4, concentrated and filtered through a short SiO₂ column (20% to 30% EtOAc-hexanes) to provide the crude aldehyde.

n-BuLi (1.63 M, 1.4 mL, 2.28 mmol) was added dropwise to a solution of CH₃PPh₃Br (815 mg, 2.28 mmol), THF (20 mL) and DMSO (7.5 mL) at 0 °C. After 1 h, a solution of the aldehyde in THF (10 mL) was added. The reaction mixture was warmed to rt and stirred for 3 h. Saturated aqueous NH₄Cl was added and the mixture was extracted with EtOAc (4×). The combined organic extracts were washed with H2O, brine, dried over Na,SO4, concentrated and purified by flash chromatography (10% to 15% EtOAc-hexanes) to afford olefin 29 (380 mg, 95% yield for 2 steps).

30

5

10

Compound 31 9-BBN (0.5 M in THF, 6 mL, 3 mmol) was added to a solution of olefin 29 (370 mg, 0.85 mmol) in THF (7 mL) at 0 °C. The mixture was allowed to warm to rt and stirred for 1 h. After recooling to 0 °C, H₂O (30 mL), THF (20 mL), and NaBO₂•4 H₂O (2.8 g) were added. After stirring for 3 h at rt, the THF was removed under reduced pressure. The aqueous residue was extracted with EtOAc (4x), dried over Na, SO4, concentrated and purified by flash chromatography (25% to 50% EtOAc-hexanes) to afford alcohol 30 which was used directly in the next step.

Pivalovl chloride (157 µL, 1.27 mmol) was added to a solution of alcohol 30 in CH₂Cl₂-pyridine (1:1 mixture, 10 mL) at rt. After 18 h, additional pivaloyl chloride (100 µL, 0.81 mmol) was added. After 1 h, the reaction mixture was cooled to 0 °C, quenched with MeOH (0.5 mL), concentrated, diluted with brine and extracted with CH₂Cl₂ (4×). The combined organic extracts were dried over Na, SO4, concentrated and purified by flash chromatography (10% to 15% EtOAc-hexanes) to afford compound 31 (410 mg, 90% for two steps).

Alcohol 32 TBAF (1 M in THF, 1.14 mL, 1.14 mmol) was added to a solution of 31 (410 mg, 0.761 mmol) in THF (5 mL) at rt. After 1.5 h, the reaction mixture was concentrated and purified by flash chromatography (40% EtOAc-hexanes to 100% EtOAc) to afford alcohol 32 (320 mg, 100%).

33a: C34 α-OH

35a and 35b

30

35

34

5

10

15

Alcohols 33a and 33b Dess-Martin periodinane (925 mg, 2.18 mmol) was added to a solution of alcohol 32 (309 mg, 0.727 mmol) in CH₂Cl₂ (19 mL) at rt. After 1 h, the reaction was diluted with Et₂O and filtered through Celite. The filtrate was washed sequentially with a 1:9 mixture of saturated aqueous NaHCO₃-Na₂S2O₃ and brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (20% to 30% EtOAc-hexanes) to afford the desired aldehyde, which was taken immediately through the next step.

BF₃*OEt₂ (135 μ L, 1.1 mmol) was added to a solution of the crude aldehyde, tri-n-butylallyltin (337 μ L, 1.08 mmol) and CH₂Cl₂ (16 mL) at -78 °C. After 1 h, the reaction was quenched with saturated aqueous NaHCO₃ and extracted with CH₂Cl₂ (3×). The combined organic extracts were dried over Na₂SO₄, concentrated and purified by MPLC (25% to 30% EtOAc-hexanes) to afford the major, more polar alcohol **33a** (165 mg, 49% for two steps) and the minor less polar product **33b** (90 mg, 27% for two steps).

Compound 34. TBSOTf (163 μ L, 0.710 mmol) was added to a solution of alcohol 33a (165 mg, 0.355 mmol), Et₃N (247 μ L, 1.78 mmol) and CH₂Cl₂ (5 mL) at 0 °C. After 25 min, the reaction was quenched with saturated aqueous NaHCO₃, extracted with CH₂Cl₂ (3×), dried over Na₂SO₄, concentrated and purified by flash chromatography (15% to 20% EtOAc-hexanes) to afford compound 34 (200 mg, 98%).

Diols 35a and 35b OsO₄ (0.1 M solution in toluene, 32 μL, 3.2 μmol) was added to a solution of K_2CO_3 (168 mg, 1.22 mmol), $K_3Fe(CN)_6$ (400 mg, 1.22 mmol), $(DHQ)_2PYR$ (11 mg, 12 μmol), H_2O (3.2 mL) and t-BuOH (2.2 mL) at 0 °C. Then a solution of olefin 34 (200 mg, 0.345 mmol) in t-BuOH (1 mL) was added to the reaction mixture. After 5 h at 0 °C, $Na_2S_2O_3$ -5 H_2O (200 mg) was added. The reaction mixture was warmed to rt, stirred for 30 min and extracted with CH₂Cl₂ (5×). The combined organic extracts were washed with brine,

dried over ${\rm Na_2SO_4}$, concentrated and purified by preparative TLC (70% EtOAc- hexanes) to afford the major, less polar diol 35a (118 mg, 56%), and minor, more polar diastereomeric product 35b (74 mg, 35%). The individual diastereomers were each carried forward separately.

Compound 36. TBSOTf (177 μ L, 0.77 mmol) was added to a solution of diol 35a (118 mg, 0.192 mmol), Et₃N (267 μ L, 1.92 mmol) and CH₂Cl₂ (5 mL) at 0 °C. After 25 min, the reaction was quenched with saturated aqueous NaHCO₃, extracted with CH₂Cl₂ (3×), dried over Na₂SO₄, concentrated and purified by flash chromatography (10% to 15% EtOAc-hexanes) to afford compound 36 (161 mg, 100%).

Alcohol 37 Using the procedure described previously for the preparation of alcohol **28**, compound **36** (161 mg, 0.192 mmol) afforded alcohol **37** (135 mg, 93%) after purification by flash chromatography (20% to 40% EtOAc-hexanes).

Aldehyde 38 Dess-Martin periodinane (227 mg, 0.535 mmol) was added to a solution of alcohol 37 (135 mg, 0.178 mmol) in CH₂Cl₂ (5 mL) at rt. After 1 h, the reaction mixture was diluted with Et₂O and filtered through Celite. The filtrate was washed sequentially with a 1:9 mixture of saturated aqueous NaHCO₄-Na₂S₂O₃ and brine, dried over Na₂SO₃.

20

5

concentrated and purified by flash chromatography (10% to 20% EtOAc-hexanes) to afford aldehyde **38** (127 mg, 95%).

B2086, **B2102**. Each of the diastereomers obtained above were separately carried to final product in a manner similar to that described in scheme 6 for **B1794**. Diastereomer **35a** afforded **B2086**. Diastereomer **35b** afforded **B2102**.

 ${\bf B2088}~{\rm NaIO_4}$ was added to a solution of ${\bf B2086}$ (1 mg, 1.29 $\mu{\rm mol}$) in MeOH-H₂O (4:1,

1 mL) at rt. After 30 min, the reaction mixture was diluted with H_2O , extracted with CH_2Cl_2 (6×), dried over Na_2SO_4 , and concentrated to afford **B2088** (1.2 mg).

25

5

B2091 NaBH₄ (0.013 M in EtOH, 20 μ L, 0.27 μ mol) was added to a solution of **B2088** (1 mg, 1.29 μ mol) in MeOH-CH₂Cl₂ (4:1, 0.5 mL) at -78 °C. Additional NaBH₄ was periodically added with close monitoring of the reaction by TLC (total of 220 μ L of the NaBH₄ solution was required). The reaction mixture was quenched at 0 °C with saturated aqueous NH₄Cl, stirred for 20 min at rt and extracted with CH₂Cl₂ (6×). The combined extracts were dried over Na₂SO₄, concentrated and purified by preparative TLC (7% MeOH-EtOAc) to furnish **B2091** (0.40 mg, 50%).

Synthesis of B1933:

302 303

Alcohol 303 9-BBN (0.5 M in THF, 23 mL, 0.012 mol) was added dropwise over 30 min to a solution of alkene 302 (1.51 g, 0.00386 mol) in THF (40 mL) at 0 °C. After stirring at π for 80 min, the mixture was cooled to 0 °C and H₂O (80 mL) was cautiously added followed by NaBO₃*4 H₂O (4.2 g, 0.027 mol). The mixture was stirred vigorously at π for 2.3 h, then extracted with EtOAc (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (50% EtOAchexanes) to provide alcohol 303 (1.37 g, 87%).

Aldehyde 304 Oxalyl chloride (88 μ L, 1.00 mmol) was added dropwise to a solution of DMSO (142 μ L, 2.00 mmol) in CH₂Cl₂ (20 mL) at -78 °C. After 30 min, a solution of alcohol 303 (137 mg, 0.335 mmol) in CH₂Cl₂ (5 mL) was added and stirred at -78 °C for 1 h. Et₃N (420 μ L, 3.01 mmol) was added and after 10 min the reaction was stirred for 10 min at 0 °C at which point saturated aqueous NH₄Cl was added and the resulting mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (50% EtOAc-hexanes) to provide intermediate aldehyde 304 (0.114 g, 84%) which was immediately used in the next step.

Alcohol 305 TBAF (1 M in THF, 5 μ L, 0.005 mmol) was added to a solution of aldehyde 304 (0.114 g, 0.27 mmol) in CF₃TMS (0.5 M in THF, 1.1 mL, 0.54 mmol) at 0 °C. After 20 min, a second portion of TBAF (1 M in THF, 100 μ L, 0.1 mmol) was added and the mixture was stirred for 10 min at which point excess TBAF (1 M in THF, 270 μ L, 0.27 mmol) was added dropwise to cleave the intermediate silyl ether. After 30 min, the mixture was diluted with H₂O and extracted with EtOAc (3×). The organic extracts were washed with H₄O, brine, dried over Na₂SO₄, concentrated and purified by column chromatography (50% EtOAchexanes) to provide alcohol 305 (123 mg, 95%) as an inseparable 1:1 mixture of isomers.

30

10

Silyl ether 306 TBSOTf (265 μ L, 1.16 mmol) was added to a solution of alcohol 305 (123 mg, 0.257 mmol) and Et₂N (430 μ L, 3.08 mmol) in CH₂Cl₂ (8 mL) at 0 °C. After stirring at rt for 20 h, saturated aqueous NaHCO₃ was added, and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAc-hexanes) to provide silvl ether 306 (148 mg, 97%).

307

Alcohol 307 LAH (1 M in THF, 220 μ L, 0.22 mmol) was added dropwise to a solution of silyl ether 306 (131 mg, 0.22 mmol) in Et₂O (5 mL) at 0 °C. After 20 min, H₂O and 1 M NaOH were cautiously added. The mixture was stirred at rt 30 min, filtered through glass wool, concentrated and purified by column chromatography (50% EtOAc-hexanes) to

306

provide alcohol 307 (112 mg, quant.).

Alkene 309 Oxalyl chloride (58 μ L, 0.66 mmol) was added dropwise to a solution of DMSO (94 μ L, 1.3 mmol) in CH₂Cl₂ (10 mL) at -78 °C. After 30 min, a solution of alcohol 307 (112 mg, 0.22 mmol) in CH₂Cl₂ (3 mL) was added. After 1 h, Et₃N (276 μ L, 1.98 mmol) was added, and after 10 min at -78 °C the reaction was stirred at 0 °C for 10 min. Saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (50% EtOAc-hexanes) to provide aldehyde 308 (101 mg, 91%) which was immediately used in the next step.

nBuLi (1.63 M in THF, 200 μ L, 0.33 mmol) was added dropwise to a solution of CH₃PPh₃Br (118 mg, 0.33 mmol) in THF (3 mL) and DMSO (1.2 mL) at 0 °C. After 70 min, a solution of aldehyde **308** (101 mg, 0.20 mmol) in THF (3 mL) was added and after 10 min

35 at

0 °C, the reaction was stirred at rt for 1 h. Saturated aqueous NH₄Cl was added and the mixture was extracted with EtOAc (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAchexanes) to provide alkene 309 (90.9 mg, 90%).

Alcohol 310 9-BBN (0.5 M in THF, 17 mL, 8.45 mmol) was added dropwise to a solution of alkene 309 (1.06 g, 2.11 mmol) in THF (30 mL) at 0 °C. After stirring for 2.5 h at rt, the reaction was cooled to 0 °C and H₂O (60 mL) followed by NaBO₃•4 H₂O (3.25 g, 21.1 mmol) were cautiously added. The mixture was stirred vigorously at rt for 2 h, then diluted with H₂O and extracted with EtOAc (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% to 30% EtOAc-hexanes) to provide alcohol 310 (0.920 g, 84%).

Pivaloate 311 A mixture of alcohol 310 (65.8 mg, 0.0126 mmol), pyridine (61 μ L, 0.76 mmol) and PvCl (23 μ L, 0.189 mmol) in CH₂Cl₂ (3 mL) was stirred at rt for 5 h. A second reaction utilizing alcohol 310 (0.92 g, 1.76 mmol) was run under similar conditions and both reactions were combined during the work-up: saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAc-hexanes) to provide pivaloate 311 (1.08 g, quant).

Alcohol 312 A mixture of ether 311 (0.811 g, 1.33 mmol), DDQ (6.1 g, 27 mmol) and 10:1 tBuOH: pH 7 phosphate buffer (42 mL) in CH₂Cl₂ (84 mL) was stirred vigorously in the dark at rt for 1.5 h, at which point additional DDQ (1.0 g, 4.4 mmol) was added. After 1 h, saturated aqueous NaHCO₃ was added and the mixture was extracted with CH₂Cl₃ (4×). The combined organic extracts were washed successively with saturated aqueous NaHCO₃ and brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAchexanes) to provide alcohol 312 (0.56 g, 87%) as well as recovered starting material 311 (97 mg, 12%).

Ketone 313 Oxalyl chloride (21 μL, 0.12 mmol) was added dropwise to a solution of DMSO (34 μL, 0.48 mmol) in CH_2Cl_2 (3 mL) at -78 °C. After 1 h, a solution of alcohol **312** (39.4 mg, 0.081 mmol) in CH_2Cl_1 (1.5 mL) was added and the mixture was stirred for 1.5 h. Et_3N (100 μL, 0.73 mmol) was added, and after 10 min the mixture was warmed to 0 °C. Saturated aqueous NH_4Cl was added and the mixture was extracted with CH_2Cl_2 (3×). The combined organic extracts were washed with brine, dried over Na_2SO_4 , concentrated and purified by flash chromatography (30% EtOAc-hexanes) to provide ketone **313** (36.6 mg, 93%) which was used immediately in the next step.

Alkene 314 Tebbe reagent (~0.65 M in toluene, 720 μ L, 0.47 mmol) was added dropwise to a solution of ketone 313 (151 mg, 0.31 mmol) in THF (5 mL) at 0 °C. After 15 min, H₂O was cautiously added and the mixture was extracted with EtOAc (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (10% EtOAc-hexanes) to provide alkene 314 (139 mg, 93%).

Alcohol 315 9-BBN (0.5 M in THF, 6.0 mL, 2.9 mmol) was added dropwise to a solution of alkene 314 (468 mg, 0.97 mmol) in THF (10 mL) at 0 °C. The mixture was stirred at rt for 2 h at which point additional 9-BBN (0.5 M in THF, 500 μ L, 0.25 mmol) was added. After 2.5 h, the mixture was cooled to 0 °C and H₂O (10 mL) followed by NaBO₃*4 H₂O (1.5 g, 9.7 mmol) were cautiously added. The mixture was stirred vigorously at rt for 5 h, diluted with H₂O and extracted with EtOAc (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (gradient 20% to 30% EtOAc-hexanes) to provide alcohol 315 (0.47 g. 97%).

Alcohol 316 Oxalyl chloride (246 μ L, 2.82 mmol) was added dropwise to a solution of DMSO (400 μ L, 5.64 mmol) in CH₂Cl₂ (40 mL) at -78 °C. After 1 h, a solution of alcohol 315 (0.47 g, 0.94 mmol) in CH₂Cl₂ (10 mL) was added and the mixture was stirred for 1 h. Et₃N (1.2 mL, 8.5 mmol) was added, and after 10 min the mixture was warmed to 0 °C and stirred for 10 min. Saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄ and concentrated. The crude aldehyde was stirred in CH₂Cl₂ (20 mL) and Et₃N (2 mL) at rt overnight. Saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (30% EiOAc-hexanes) provided the epimerized aldehyde which was immediately dissolved in 1:1 Et₂O:EiOH (10 mL) and cooled to 0 °C. NaBH₄ (35 mg, 0.94 mmol) was added and after 10 min the reaction was quenched with saturated aqueous NH₄Cl. The mixture was extracted with EiOAc (3×) and the combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (30% EiOAc-hexanes) to provide alcohol 316 (0.410 g, 87% yield for 3 steps).

Ether 317 Alcohol 316 (60.7 mg, 0.12 mmol) and MPMOTCI (0.10 g, 0.36 mmol) were combined, azeotroped from toluene (3×) and dried under high vacuum overnight. CH₂Cl₂ (3 mL) was added and the mixture was cooled to 0 °C. BF₃*OEt₂ (approx. 1 μ L, 0.01 mmol) was added and after stirring for 10 min the reaction was quenched with saturated aqueous NH₄Cl. The mixture was extracted with CH₂Cl₂ (3×) and the combined extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (30% EtOAchexanes) to provide ether 317 (55.4 mg, 74%).

$$F_3C$$
 OPV
 OPV

Alcohol 318 LAH (1 M in THF, $104 \mu L$, 0.104 mmol) was added dropwise to a solution of ether 317 (54 mg, 0.087 mmol) in Et₂O (5 mL) at 0 °C. After 30 min, H₂O and 1 M NaOH were cautiously added. The mixture was stirred at rt for 10 min, filtered through glass wool, concentrated and purified by column chromatography (30%-50% EtOAc-hexanes) to provide alcohol 318 (45.5 mg, 98%).

Aldehyde 319 Oxalyl chloride (11 μ L, 0.13 mmol) was added dropwise to a solution of DMSO (18 μ L, 0.25 mmol) in CH₂Cl₂ (2 mL) at -78 °C. After 1.8 h, a solution of alcohol 318 (22.6 mg, 0.042 mmol) in CH₂Cl₂ (1 mL) was added and the mixture was stirred for 1 h. Et₃N (53 μ L, 0.38 mmol) was added and after 10 min, the reaction was warmed to 0 °C and stirred 10 min. Saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (20% EtOAc-hexanes) to provide aldehyde 319 (21.7 mg, 97%).

B1933. In a manner similar to that described in Scheme 6 for the synthesis of **B1794**, intermediate **319** was converted to **B1933**. HRMS (FAB): calcd for $C_{41}H_{57}F_3O_{11} + H$ 783.3931. Found: 783.3940.

5

10

15

B1942. A mixture of **B1897** (2 mg, 2.73 μ mol), NaIO₄ (35 mg, 0.16 mmol), MeOH (0.8 mL) and H₂O (0.2 mL) was stirred at rt for 30 min. The reaction mixture was then diluted with H₂O (3 mL) and extracted with CH₂Cl₂ (6x) and EtOAc (2x). The combined organic phases were dried over Na₂SO₄ and purified by column chromatography (5% MeOH- CH₂Cl₂) to give the desired aldehyde.

This material was dissolved in THF (0.1 mL), cooled to at 0 °C and treated with 0.5 M CF $_3$ TMS in THF (30 μ L, 15 mmol) followed by 0.05 M TBAF in THF (5 mL, 0.025 mmol). After stirring for 30 min, the reaction mixture was diluted with saturated aqueous NaHCO $_3$ (2 mL) and H $_2$ O (1 mL), extracted with EtOAc (6×), dried over Na $_2$ SO $_4$, filtered and concentrated to give the crude bis-TMS ether.

This material was dissolved in THF (0.5 mL) and treated with 1 M TBAF in THF containing 0.5 M imidazole hydrochloride (8 μ L, 8 μ mol) at rt for 30 min. The reaction mixture was eluted through a SiO₂ column (50% EtOAc-hexanes to EtOAc) to afford the diol intermediate.

A mixture of this product and Dess-Martin periodinane (10 mg, 24 mmol) in CH₂Cl₂ (0.5 mL) was stirred at π for 1 h, diluted with Et₂O (5 mL) and filtered through Celite. The filtrate was concentrated and purified by preparative TLC (50% EtOAc-hexanes) to furnish B1942 (1.5 mg, 72% for 5 steps). HRMS (FAB): calcd for $C_{40}H_{55}F_3O_{11} + H$ 767.3516. Found: 767.3542

Synthesis of B2070/B2073:

- Alcohol 401 A mixture of NaIO₄ (375 mg, 1.74 mmol), X400 (674 mg, 1.58 mmol), MeOH (16 mL) and H₂O (4 mL) was stirred at π for 1 h. After dilution with H₂O, the mixture was extracted with CH₂Cl₂ (4×) and the combined organic extracts were dried over Na₂SO₄, concentrated and purified by flash chromatography (30% EtOAc-hexanes) to provide the intermediate aldehyde (570 mg), which was immediately dissolved in DMF (15 mL). Indium
- 35 (275 mg, 2.4 mmol) and 3-bromo-3,3-difluoropropene (240 μL, 2.4 mmol) were added and after stirring at rt for 17 h, H₂O and 0.1 M HCl were added. The mixture was extracted with EtOAc (3×) and the combined organic extracts were washed successively with H₂O and brine,

dried over Na₂SO₄, concentrated and purified by column chromatography (20% to 30% EtOAchexanes) to provide alcohol **401** as a 1:1 mixture of C34 isomers (605 mg, 81% for 2 steps).

Diol 402 A mixture of OsO₄ (1 xstal), alcohol **401** (605 mg, 1.28 mmol), 4-methylmorpholine *N*-oxide (0.45 g, 3.84 mmol), acetone (30 mL) and H₂O (6 mL) was stirred at rt for 29 h. Additional OsO₄ (3 xtals) and 4-methylmorpholine *N*-oxide (0.1 g, 0.8 mmol) were added and after 2 days saturated aqueous Na₂S₂O₃ was added. The mixture was extracted with CH₂Cl₂ (6×) and the combined organic extracts were dried over Na₂SO₄ and concentrated. The crude intermediate triol was immediately dissolved in 4:1::MeOH:H₂O (25 mL) and NaIO₄ (0.41 g, 1.9 mmol) was added. After stirring vigorously at rt for 2 h, the mixture was diluted with H₂O, extracted with CH₂Cl₂ (3×) and the combined organic extracts were dried over Na₂SO₄ and concentrated to provide the intermediate aldehyde which was immediately dissolved in 1:1 EtOH-Et₂O (30 mL) and cooled to 0 °C. NaBH₄ (48 mg, 1.3 mmol) was added and after 20 min the reaction was quenched with H₂O and extracted with CH₂Cl₂ (4×). The combined organic extracts were dried over Na₂SO₄, concentrated and purified by column chromatography (50% EtOAc-hexanes) to provide diol **402** (485 mg, 80% for 3 steps).

Silyl ether 403 TBSOTf (2.3 mL, 10 mmol) was added dropwise to a mixture of diol 402 (485 mg, 1.0 mmol), Et₃N (2.8 mL, 20 mmol) and CH₂Cl₂ (30 mL) at 0 °C. After stirring for 1 h at rt, saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (20% EtOAc-hexanes) to provide silyl ether 403 (668 mg, 95%).

30

5

10

403

04

405

Alcohol 404 LAH (1 M in THF, 2.8 mL, 2.8 mmol) was added dropwise to a solution of silyl ether 403 (668 mg, 0.948 mmol) in Et₂O (60 mL) at 0 °C. After 15 min, H₂O and 1 M NaOH were cautiously added. The mixture was stirred at rt for 20 min, filtered through glass wool, concentrated and purified by column chromatography (30% EtOAchexanes) to provide alcohol 404 (500 mg, 85%).

Aldehyde 405 Oxalyl chloride (210 µL, 2.42 mmol) was added dropwise to a solution of DMSO (345 µL, 4.84 mmol) in CH₂Cl₂ (30 mL) at -78 °C. After 1 h, a solution of alcohol 404 (500 mg, 0.806 mmol) in CH₂Cl₂ (10 mL) was added. After 40 min, Et₃N (1.0 mL, 7.2 mmol) was added. After stirring at -78 °C for 10 min, the reaction mixture was warmed to 0 °C and stirred for an additional 10 min. Saturated aqueous NH,Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed successively with H2O, brine, dried over Na2SO4 and concentrated. Purification by flash chromatography (30% EtOAc-hexanes) provided aldehyde 405 (486 mg, 98%) which was immediately used in the next step.

405

406

Alkene 406 nBuLi (1.63 M, 860 µL, 1.4 mmol) was added dropwise to a solution of CH2PPh3Br (500 mg, 1.4 mmol) in THF (15 mL) and DMSO (6 mL) at 0 °C. After 1 h, a solution of aldehyde 405 (486 mg) in THF (15 mL) was added. The reaction mixture was warmed to rt and stirred for 30 min. Saturated aqueous NH₄Cl was added, the mixture was

30

10

5

extracted with EtOAc (3x) and the combined extracts were washed successively with H_2O and brine, dried over Na_sSO_4 , concentrated and purified by column chromatography (20% EtOAchexanes) to provide alkene 406 (450 mg, 93%).

406 407

Ester 407 9-BBN (0.5 M in THF, 9.0 mL, 4.5 mmol) was added dropwise to a solution of alkene 406 (0.460 g, 0.746 mmol) in THF (10 mL) at 0 °C. After warming to rt, the mixture was stirred for 3 h and two additional portions of 9-BBN (0.5 M in THF, 3.0 mL, 1.5 mmol) were added at 30 min intervals. The reaction mixture was recooled to 0 °C, whereupon THF

(10 mL), $\rm H_2O$ (10 mL) and $\rm NaBO_3$ •4 $\rm H_2O$ (1.72 g, 11.2 mmol) were cautiously added. The mixture was stirred vigorously at rt for 1.5 h, and additional $\rm NaBO_3$ •4 $\rm H_2O$ (1.0 g, 6.5 mmol) was added. After 2 h the mixture was diluted with $\rm H_2O$ and extracted with EtOAc (3×). The combined extracts were washed with brine, dried over $\rm Na_2SO_4$, concentrated and purified by column chromatography (20% to 30% EtOAc-hexanes) to provide the intermediate alcohol (509 mg) which was immediately dissolved in $\rm CH_2Cl_2$ (10 mL) and treated with pyridine (600 $\rm \mu L$, 7.5 mmol) and PvCl (275 $\rm \mu L$, 2.2 mmol). After 6 h, saturated aqueous $\rm NH_4Cl$ was added and the mixture was extracted with $\rm CH_2Cl_2$ (3×). The combined organic extracts were washed with brine, dried over $\rm Na_2SO_4$, concentrated and purified by column chromatography (20% to 30% EtOAc-hexanes) to provide ester 407 (423 mg, 79% for 2 steps).

407 408

Alcohol 408 A mixture of ester 407 (11 mg, 0.015 mmol) and Pd(OH)₂/C (10 mg) in EtOAc (500 μ L) was stirred vigorously under a H₂ atmosphere at rt for 6 h. The mixture was filtered through Celite, concentrated and purified by column chromatography (30% EtOAchexanes) to provide alcohol 408 (9.4 mg, quant).

408 409

Alkene 409 Oxalyl chloride (7 μ L, 0.075 mmol) was added dropwise to a solution of DMSO (11 μ L, 0.15 mmol) in CH₂Cl₂ (2 mL) at -78 °C under N₂. After 40 min, a solution of alcohol 408 (15.2 mg, 0.025 mmol) in CH₂Cl₂ (1 mL) was added and the reaction was stirred at -78 °C for 1 h. Et₃N (31 μ L, 0.22 mmol) was added, and after stirring for 10 min the mixture was warmed to 0 °C. After 10 min, the reaction mixture was quenched with saturated aqueous NH₄Cl and extracted with CH₂Cl₂ (3×). The combined extracts were washed successively with H₂O and brine, dried over Na₂SO₄ and concentrated. After flash chromatography (30% EtOAc-hexanes), the intermediate ketone (13 mg) was immediately dissolved in THF (500 μ L) and treated with Tebbe reagent (~0.65 M in toluene, 62 μ L, 0.040 mmol) at 0 °C. After 1.5 h additional Tebbe reagent (~0.65 M in toluene, 62 μ L, 0.040 mmol) was added and after 10 min H₂O and then brine were cautiously added. The mixture was extracted with EtOAc (3×) and the combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by column chromatography (10% EtOAc-hexanes) to provide alkene 409 (11.9 mg, 80% for 2 steps).

409 410

Alcohol 410 9-BBN (0.5 M in THF, 1.5 mL, 0.72 mmol) was added dropwise to a solution of alkene 409 (0.144 g, 0.242 mmol) in THF (2 mL) at 0 °C. After warming to rt, the mixture was stirred for 3 h. The reaction mixture was recooled to 0 °C, whereupon THF (2 mL), H_2O (2 mL) and NaBO₃•4 H_2O (0.38 g, 2.4 mmol) were cautiously added. The mixture was stirred vigorously at rt for 4 h, diluted with H_2O and extracted with EtOAc (3×). The combined extracts were washed with brine, dried over Na_2SO_4 , concentrated and purified by column chromatography (20% EtOAc-hexanes) to provide alcohol 410 (0.140 g, 9.4%).

30

5

10

Alcohol 411 Oxalyl chloride (26 µL, 0.30 mL) was added dropwise to a solution of DMSO (43 µL, 0.60 mmol) in CH₂Cl₂ (4 mL) at -78 °C. After 1 h, a solution of alcohol 410 (57 mg, 0.093 mmol) in CH₂Cl₂ (2 mL) was added. After 45 min, Et₃N (125 μL, 0.90 mmol) was added. After stirring at -78 °C for 10 min, the reaction mixture was warmed to 0 °C and stirred for an additional 10 min. Saturated aqueous NH₄Cl was added and the mixture was extracted with CH₂Cl₂ (3×). The combined organic extracts were washed with brine, dried over Na, SO4 and concentrated. The crude product was dissolved in CH, Cl2 (4 mL), treated with Et₃N (400 μ L) and stirred at rt for 15 h. Saturated aqueous NH₄Cl was added and the mixture was extracted with CH2Cl2 (3x). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (30% EtOAchexanes) to provide the intermediate aldehyde (48 mg), which was immediately dissolved in 1:1 Et₂O-EtOH (4 mL), cooled to 0 °C and treated with solid NaBH₄ (~4 mg, 0.09 mmol). After stirring for 15 min, saturated aqueous NH,Cl was cautiously added and the mixture was extracted with EtOAc (3x). The combined extracts were washed with brine, dried over Na, SO₄, concentrated and purified by column chromatography (20% to 30% EtOAc-hexanes) to provide alcohol 411 (45.6 mg, 80% for 3 steps).

412A and 412B Alcohol 411 (120 mg, 0.196 mmol) and MPMOTCI (0.17 g, 0.59 mmol) were combined, azeotroped from toluene (3×) and dried under high vacuum for 1 h. CH₂Cl₂ (9 mL) was added and the mixture was cooled to 0 °C. BF₃•OEt₂ (0.016 M in CH₂Cl₂, 125 μ L, 0.002 mmol) was added dropwise and after stirring for 20 min, the reaction was quenched with saturated aqueous NH₄Cl. The mixture was extracted with CH₂Cl₂ (3×) and the combined extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by preparative TLC (20% EtOAc-hexanes) to provide the intermediate MPM ether which contained some close-running impurities. This material was immediately dissolved in Et₂O (10 mL) and treated with LAH (1M in THF, 300 μ L, 0.300 mmol) at 0 °C. After 10 min, H,O and 1 M

25

5

NaOH were added, and after stirring for 10 min at rt, the mixture was filtered through Celite, concentrated and purified by preparative TLC (35% EtOAc-hexanes) to provide 412A (49 mg, 39% for 2 steps) as a single C34 isomer and 412B (46 mg, 36% for 2 steps) as a ~9:1 mixture of C34 isomers.

B2070 and **B2073**. In a manner similar to that described in Schemes 4 and 6 for the synthesis of **B1794**, intermediates **412A** and **412B** were converted to **B2070** and **B2073**, respectively. For **B2070**: HRMS (FAB): calcd for $C_{41}H_{58}F_2O_{12} + Na$ 803.3794. Found: 803.3801. For **B2073**: HRMS (FAB): calcd for $C_{41}H_{58}F_2O_{12} + Na$ 803.3793. Found: 803.3781

Synthesis of B1963:

Diol 501 (64) Saturated aqueous NaHCO₃ (21 mL) and KBr (89 mg, 0.75 mmol) were added to a solution of diol 10 (1.35 g, 3.4 mmol) in CH,Cl, (34 mL). The mixture was

5

10

cooled to 0 °C, and 4-methoxy-2,2,6,6-tetramethyl-1-piperidinyloxy (0.05 M in CH_2Cl_2 , 7.45 mL, 0.37 mmol) and NaOCl (0.07 M in H_2O , 5.6 mL, 0.39 mmol) were sequentially added. After 1 h, the reaction mixture was quenched with saturated aqueous $Na_2S_2O_3$, diluted with saturated aqueous $NaHCO_3$ and extracted with CH_2Cl_2 (3×). The combined extracts were dried over Na_3SO_4 , concentrated and dissolved in THF (21 mL).

After cooling to 0 °C, CF₃TMS (1.5 g, 10.5 mmol) and TBAF (0.1 M in THF, 680 μ L, 0.068 mmol) were sequentially added. After stirring for 40 min, additional TBAF (1 M in THF, 8.3 mL, 8.3 mmol) was added. After 30 min, the reaction was quenched with H₂O and extracted with EtOAc (3×). The combined organic extracts were washed with brine, dried over Na₂SO₄, concentrated and purified by flash chromatography (30%, 40%, 50% EtOAc-hexanes followed by EtOAc) to afford a 2:1 mixture of diols (553 mg, 35%). Separation by MPLC (1.5% MeOH-CH₂Cl₂) gave the major, more polar isomer **501** (**64**) (340 mg, 22%) and the minor, less polar isomer (152 mg, 10%).

B1963. In a manner similar to that described in Schemes 4 and 6 for the synthesis of B1794, intermediate 501 was converted to B1963.

Synthesis of B2320 and Related Analogs

10

These compounds are made by treating B2294 with an appropriate amine in a solvent such as methanol for a period of a few hours to several days. Progress of the reaction may be monitored by thin layer chromatography. A standard work-up procedure, well known to those of skill in the art, provides the desired compounds. The procedure below is to prepare ER803868; however this procedure is general and can be used to prepare any desired analog.

Synthesis of ER803868

To a solution of B2294, 1.2 mg, in methanol, 0.5 mL, was added morpholine, 0.012 mL. The mixture was stirred for 10 days with additional morpholine, 0.012 mL, being added on days 1,2,3, 4 and 8. The mixture was then chromatographed to give 1.4 mg of the desired compound.

,	
B2320	R = N,N-dimethylamino
B2330	R = N-isopropylamino
B2336	R = N-methylamino
B2339	R = N-t-butylamino
B2417	R = N-2-hydroxyethylamino
B2418	R = N-piperazinyl
B2489	R = N,N-bis-(2-hydroxyethyl)amino
B2490	R = N-1,3-dihydroxy-2-propylamino
B2491	R = N-benzylamino
ER803834	R = N-piperidinyl
ER803835	R = N-pyrrolidinyl
ER803836	R = N-3-(R)-hydroxypyrrolidinyl
ER803843	R = N-homopiperidinyl
ER803845	R = N-para-methoxybenzylamino
ER803846	R = N-phenethylamino
ER803851	R = N-2-(S-hydroxymethyl)pyrrolidinyl
ER803852	R = N-2-(R-hydroxymethyl)pyrrolidinyl
ER803868	R = N-morpholinyl
ER803869	R = N-ethylamino

25

30

5

10

ER803870 ER803883 ER803884 $R = N\text{-}\mathrm{imidazoyl}$ $R = N\text{-}\mathrm{N}\text{-}\mathrm{diethylamino}$ $R = N\text{-}\mathrm{para}\text{-}\mathrm{chlorobenzylamino}$

D. Pharmacological Activity

Many of the individually disclosed drugs were tested for *in vitro* and *in vivo* activity (see Table 1, below). Screening methods included a standard *in vitro* cell growth inhibition assay using DLD-1 human colon cancer cells (ATCC accession number CCL 221) in a 96-well microtiter plate format (Finlay, G.J. et al Analytical Biochemistry 139:272-277, 1984), a U937 (ATCC accession number CRL 1593) mitotic block reversibility assay (described below), and in some cases, a LOX human melanoma tumor xenograft *in vivo* growth inhibition assay (see Table 1). Chemical stability to esterase degradation was also examined.

U937 Mitotic Block Reversibility Assay

U937 human histiocytic lymphoma cells were added to 75 cm² tissue culture flasks as 2.5 x 10° cells in 22.5 mL of RPMI Medium 1640 containing 10% Fetal Bovine Serum. Cells were allowed to adapt to the culture during 36 h of incubation at 37° °C in a humidified atmosphere containing 5% CO₂. Each test drug was then added to a flask as 2.5 mL of 10x final concentration. Final concentrations achieved were 0.1-1000 nM, in half log-increments, for a total of 10 concentration steps including a drug-free control flask which recieved 2.5 mL of media. Cells were incubated with drug for 12 h pretreatment period at 37 °C in a humidified atmosphere containing 5% CO₃.

The contents were removed from each flask and centrifuged at 300 x g for 10 min at room temperature, after which drug-containing media was removed from cell pellet. Cells were resuspended in 25 mL of warm drug-free media and centrifuged at 300 x g for 10 min at room temperature. After removing media from cell pellet, cells were resuspended in 35 mL of warm drug-free media, transferred to fresh flasks, and a 10 mL sample of cells immediately removed from each flask, immediately processed as described below and stored for later cell cycle analysis (0 hours of drug washout).

Incubation of the remaining 25 mL of cells continued in drug-free media for another 10 h. A 10 mL sample of cells was removed from each flask, immediately processed and stored for later cell cycle analysis (10 hours of drug washout) and 10 mL fresh replacement media was added to each incubation flask. Incubation of cells in drug-free media continued for 5 days. At day two, 20 mL of media and cells was removed from each flask and replaced with 20 mL fresh media. Viability of cells was quantified after 5 days by trypan blue exclusion techniques using hemacytometer counting.

35

5

10

Cells were processed for cell cycle analysis using modifications of the method published in Becton Dickinson Immunocytometry Systems source book section 1.11 (Preparation of Alcohol-Fixed Whole Cells From Suspensions For DNA Analysis). Briefly, each 10 mL sample of cells removed from the flasks at 0 and 10 hours of drug washout was separately centrifuged at 300 x g for 10 min. After removing the media from the cell pellet, cells were resuspended in 3 mL cold saline. Seven milliliters cold 100 % ethanol was slowly added with vigorous vortexing. Ethanol treated cell samples from 0 hour and 10 hour periods of compound washout were stored overnight at 4 °C. Ethanol treated cells were centrifuged 300 x g for 10 min, ethanol removed and cells then washed in 10 mL Phosphate Buffered Saline (PBS). Cells were resuspended in 0.5 mL of 0.2 mg/mL Ribonuclease A (Sigma No. R-5503) in PBS and incubated in 37 °C water bath for 30 min.

Cells were transferred to appropriate flow cytometry tubes and 0.5 mL of 10 mg/mL propidium iodide (PI) (Sigma No. P4170) in PBS was added to each tube. Cells were incubated with PI at room temperature in the dark for at least 15 min prior to analysis with a flow cytometer (Becton Dickinson FACScan flow cytometer or equivalent). Cells should be analyzed within an hour and kept in the dark at 4 °C until ready. Cell cycle analysis was performed on 0 hour and 10 hour cells using flow cytometric measurement of the intensity of cellular fluorescence. The intensity of propidium iodide fluorescence for each cell was measured on a linear amplification scale with doublet events ignored using doublet discrimination. The results obtained from analyzing 15,000 cells were presented as a histogram with increasing fluorescence intensity on the x-axis and the number of cells at a particular intensity level on the y-axis.

The intensity of PI staining is dependent on the amount of DNA in the cell so it is possible to identify cells in various phases of the cell cycle, such as cells that have not yet synthesized DNA since the last mitosis (G, phase), cells that are in intermediate stages of DNA synthesis (S phase), and cells that have doubled their complement of DNA and are ready to divide (G2 phase). Cells that are blocked in the mitosis phase of the cell cycle also have double the amount of DNA compared to G, phase cells. If all cells are blocked in mitosis there are no G, phase cells, but if the block is removed when compound is removed, cells complete mitosis and reappear in the G_1 phase. The number of cells so reappearing in the G_1 or Sphase is thus a measure of the number of cells which have recently completed mitosis. For each sample at 0 and 10 hours after compound removal, the percentage of cells completing mitosis was quantified (as the number of cells reappearing in the G, phase) and plotted as a function of the initial concentration of compound used during the 12 hour pretreatment period. The percentage of cells still viable 5 days after drug washout was superimposed on the same graph, see, for example FIG. 1 and FIG. 2. A ratio can be determined between the compound concentration required to completely block all cells in mitosis at 0 hour and the concentration required to maintain the block 10 hours after compound removal. This was taken as a measure of a

compound's reversibility, with ratios close to or equal to one indicating likely potent *in vivo* anti-tumor compounds (see Table 1, columns 4-6, and FIGS. 3 and 4).

Table 1

	DLD-1*		Complete Mitotic Block		Reversibility	
compound		SE	0 hour, nM**	10 hour, nM‡	Ratio	
B1793	0.93	0.04	3	44	14.7	
B1794	12.20	0.72	<u> </u>	1		
B1918	1.27	0.12	·			
B1920	2.00	0.15		-		
B1921	24.00	1.15				
B1922	0.53	0.01	3	30	10.0	
B1930	0.87	0.03				
B1933	0.79	0.16				
B1934	1.05	0.21	3	30	10.0	
B1939	19.34	2.36	12	12	1.0	
B1940	5.43	0.62				
B1942	0.60	0.03	3	30	10.0	
B1963	0.56	0.04	3	20	6.7	
B1973	1.15	0.24				
B1984	1.01	0.15				
B1987	1.82	0.21				
B1988	2.67	1.02				
B1990	1.30	0.06				
B1991	0.69	0.03				
B1992	0.86	0.07				
B1998	1.23	0.13				
B2003	1.21	0.12				
B2004	0.63	0.04				
B2008	2.63	0.63				
B2010	0.71	0.12				
B2011	1.81	0.52	"			
B2013	0.49	0.07	2	30	15.0	
B2014	0.87	0.09				
B2015	2.78	0.23				
B2016	0.66	0.06				
B2019	0.82	0.07				
B2034	0.74	0.03				
B2035	0.76	0.09				

B2037	0.66	0.11			
B2039	0.91	0.08			
B2042	1.93	0.11	3	100	33.3
B2043	1.70	0.06			
B2070	0.64	0.09	3	30	10.0
B2073	0.89	0.15			
B2086	11.17	1.96			
B2088	1.23	0.12			
B2090	0.52	0.04	2	10	5.0
B2091	1.36	0.07	3	30	10.0
B2102	3.47	0.22			
B2136	5.23	1.04	3	3	1.0
B2294	0.80	0.01			
B2320	1.20	0.17	1	10	10.0
B2330	4.40	0.42	7	7	1.0
B2336	3.33	0.09	10	10	1.0
B2339	4.30	0.21	3	3	1.0
B2417	12.67	0.33	10	10	1.0
B2418	3.63	0.17	10	10	1.0
B2489	14.67	2.03	10	10	1.0
B2490	35.67	3.33	100	100	1.0
B2491	0.92	0.14	2	10	6.7
ER803834	0.47	0.08	1	10	10.0
ER803835	15.33	0.33	10	10	1.0
ER803836	1.97	0.12	3	10	3.3
ER803843	0.49	0.05	1	10	10.0
ER803845	1.50	0.20	3	10	3.3
ER803846	1.16	0.10	1	10	10.0
ER803851	3.33	0.26	3	3	1.0
ER803852	3.03	0.50	3	10	3.3
ER803868	0.43	0.03	3	10	3.3
ER803869	4.13	0.64	3	3	1.0
ER803870	1.27	0.12	3	30	10.0
ER803883	1.02	0.04	1	10	10.0
ER803884	0.59	0.03	1	10	10.0

^{* =} in vitro cell growth inhibition ** = before washout ‡ = after washout

The invention also features a method for identifying an agent that induces a sustained mitotic block in a cell after transient exposure of the cell to the agent. The invention features determining the relative reversibility of the test compound by relating the measurement of step (d) and the measurement of step (f), as described below. This determination may be a ratio, or

- 5
- (a) incubating a first cell sample with a predetermined concentration of a test compound for a time interval between that sufficient to empty the G_1 population and that equivalent to one cell cycle (e.g., typically, 8 –16 hours, or about 12 hours):
 - (b) substantially separating the test compound from said first cell sample (e.g. by washing or changing media);
- (c) incubating said first sample in media free of the test compound for a time interval sufficient to allow at least 80% (e.g., 85%, 90%, and preferably 95%, 98%, or 99%) of the cells released from the mitotic block induced by a highly reversible mitotic inhibitor to complete mitosis and return to the G₁ phase (e.g., typically 6-14 hours, or about 10 hours after separation step (b)); and
 - (d) measuring the percentage of transiently-exposed cells from step (c) that have completed mitosis and returned to the G_1 phase (e.g., measuring a cell cycle marker, such as DNA-dependent PI fluorescence).

One aspect of this screening method include the further steps of:

- (e) incubating a second sample of cells with a concentration of the test compound less than or
 equal to that used in step (a) for a time interval between that sufficient to empty the G
 population and that equivalent to one cell cycle;
- (f) measuring the percentage of cells from step (e) that have completed mitosis and have returned to the G_1 phase; and
- (g) determining a reversibility ratio of the test compound.

In one embodiment of the method, the first and second cell samples are suspension culture cells selected from, for example, human leukemia, human lymphoma, murine leukemia, and murine lymphoma cells. The first and second cell samples may be incubated simultaneously (steps (a) and (e)) or in separate portions. Other embodiments further include before step (a), the step (i) of estimating a desirable time interval for incubating said first cell sample with a reversible mititotic blocking agent (or, alternatively, said test compound) to provide a satisfactory majority of cells collected at mitotic block; and wherein the incubation of step (a) is for the time interval estimated in step (i). Another embodiment of the method further includes before step (c), the step (ii) of estimating a desirable time interval for the test compound-free incubation of step (c), said step (ii) comprising determining the time interval

30

35

40

15

after which at least 80 % of the cells pretreated with a highly reversible antimitotic agent

10

15

complete mitosis and reenter G_i phase; and wherein the incubation of step (c) is for the time interval determined in step (ii). Another embodiment of the method utilizes non-suspension culture cells from, for example, adherent human or murine cancer cells, harvested by any suitable means for detaching them from tissue culture flasks.

One aspect of the method further includes repeating steps (a) - (f) using a range of relative concentrations of test compound to determine what two substantially minimum concentrations of the test compound provide substantially complete mitotic block in step (d) and in step (f), respectively. The ratio of these minimum sufficient concentrations is an index of reversibility (see detailed U937 protocol for preparation of exemplary dose-response curves). These concentrations may be determined by extrapolating curves of the percentage of cells (from steps (d) and (f)) as a function of concentration (e.g., by testing only a few concentrations, such as 3 or fewer), or by empirically testing a full range of concentrations.

The above methods are useful for identifying an agent (test compound) that inhibits mitosis, for identifying a mitotic blocking agent which substantially retained its mitosis blocking effectiveness after its removal, and for predicting, for example, the ${\rm IC}_{50}$ or the ${\rm IC}_{50}$ or the ${\rm IC}_{50}$ or the initial blocking agent. When compared with relatively reversible antimitotic agents, substantially irreversible antimitotic agents, in other words, agents which continue to block mitosis in a cell which has been only transiently exposed to the agent, are likely to be more effective in vivo where natural processes, including multi-drug resistance (MDR) pumps and metabolic or other degradative pathways, prevent prolonged exposure. The effectiveness of relatively reversible antimitotic agents may depend upon a period of sustained exposure.

In view of the cost of developing pharmaceuticals, the economic advantages of determining reversibility ratios, as described above, are considerable. The above methods can be used, for example, to predict whether a test compound with good *in vitro* activity will be effective *in vivo*, such as in a clinical trial. Relatively reversible agents would not be expected to perform as well as irreversible agents. This is shown, for example, by contrasting the data for two known compounds, the relatively irreversible antimitotic agent vincristine and the highly reversible antimitotic agent vinclastine.

Table 2

Reversibility Characteristics of Vinblastine and Vincristine

	Drug concentrat			
Compound	0 hour (before washout)	10 hour (after washout)	Reversibility ratio	Interpretation
Vinblastine	10	600	60	Highly Reversible
Vincristine	10	10	1	Irreversible

Analyses of the antimitotic drugs vinblastine and vincristine in the U937 Mitotic Block Reversibility Assay indicate that despite identical potencies to induce initial mitotic blocks (0 hour values), the abilities of the two drugs to induce mitotic blocks which are sustained 10 hour after drug washout (10 hour values) are very different: vincristine induces irreversible mitotic blocks, while those induced by vinblastine are highly reversible.

Analyses of *in vivo* anticancer activities of the antimitotic drugs vinblastine and vincristine against COLO 205 human colon cancer xenografts grown sub-cutaneously in immunocompromised (nude) mice indicate that at equivalent doses of 1 mg/kg, vincristine shows substantial cancer growth inhibitory activity while vinblastine is inactive (FIG. 5). At the lower dose of 0.3 mg/kg, vincristine still produces moderate growth inhibition, while vinblastine is again inactive. The greater *in vivo* activity of vincristine correlates with its irreversibility relative to vinblastine's high reversibility.

E. Use

The disclosed compounds have pharmacological activity, including anti-tumor and antimitotic activity as demonstrated in section D above. Examples of tumors include melanoma, fibrosarcoma, monocytic leukemia, colon carcinoma, ovarian carcinoma, breast carcinoma, osteosarcoma, prostate carcinoma, lung carcinoma and ras-transformed fibroblasts.

The invention features pharmaceutical compositions which include a compound of formula (I) and a pharmaceutically-acceptable carrier. Compositions can also include a combination of disclosed compounds, or a combination of one or more disclosed compounds and other pharmaceutically-active agents, such as an anti-tumor agent, an immune-stimulating agent, an interferon, a cytokine, an anti-MDR agent or an anti-angiogenesis agent. Compositions can be formulated for oral, topical, parenteral, intravenous, or intramuscular

25

20

10

administration, or administration by injection or inhalation. Formulations can also be prepared for controlled-release, including transdermal patches.

A method for inhibiting tumor growth in a patient includes the step of administering to the patient an effective, anti-tumor amount of a disclosed compound or composition. The invention also contemplates combination therapies, including methods of co-administering a compound of formula (I) before, during, or after administering another pharmaceutically active agent. The methods of administration may be the same or different. Inhibition of tumor growth includes a growth of the cell or tissue exposed to the test compound that is at least 20% less, and preferably 30%, 50%, or 75% less than the growth of the control (absence of known inhibitor or test compound).

Other Embodiments

The essential features of the invention can be easily discerned from the above description and the claims below. Based on the entire disclosure, variations of the disclosed compounds and methods of the invention described can be designed and adapted without departing from the spirit and scope of the claims and the disclosure. References and publications described herein are hereby incorporated in their entirety.

What is claimed is:

30

5

A compound having the formula:

wherein A is a $C_{1.6}$ saturated or $C_{2.6}$ unsaturated hydrocarbon skeleton, said skeleton being unsubstituted or having between 1 and 10 substituents, inclusive, independently selected from cyano, halo, azido, oxo, and Q_1 ;

each Q_1 is independently selected from OR_1 , SR_1 , SO_2R_1 , OSO_2R_1 , NR_2R_1 , $NR_2(CO)R_1$, $NR_2(CO)R_1$, $NR_2(CO)R_1$, $NR_2(CO)NR_1$, $NR_2(CO)NR_2$, $NR_2(CO)NR_1$, $NR_2(CO)NR_2$, and $O(CO)NR_2R_1$;

each of R_1 , R_2 , R_4 , R_5 , and R_6 is independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} hydroxyalkyl, C_{1-6} aninoalkyl, C_{6-10} aryl, C_{6-10} haloaryl, C_{6-10} hydroxyaryl, C_{1-3} alkoxy- C_6 aryl, C_{6-10} alkyl, C_{1-6} alkyl, C_{1-6} alkyl- C_{6-10} haloaryl, C_{6-10} haloaryl- C_{1-6} alkyl, C_{1-6} alkyl- C_{6-10} haloaryl, C_{1-3} alkoxy- C_6 aryl)- C_{1-3} alkyl, C_{2-9} heterocyclic radical, C_{2-9} heterocyclic radical- C_{1-6} alkylhydroxy, C_{2-9} heteroaryl, and C_{2-9} heteroaryl- C_{1-6} alkyl, C_{2-9} heteroaryl- C_{1-6} alkyl, C_{2-9} heteroaryl- C_{1-6} alkyl, C_{2-9} heteroaryl- C_{1-9} alkyl,

each of D and D' is independently selected from R_3 and OR_3 , wherein R_3 is H, $C_{1\cdot 3}$ alkyl, or $C_{1\cdot 3}$ haloalkyl;

n is 0 or 1;

E is R5 or OR5;

G is O, S, CH2, or NR6;

each of J and J' is independently H, C_{1-6} alkoxy, or C_{1-6} alkyl; or J and J' taken together are =CH₂ or -O-(straight or branched C_{1-5} alkylene)-O-;

Q is C₁₋₃ alkyl;

T is ethylene or ethenylene, optionally substituted with (CO)OR7, where R_7 is H or $C_{1-\delta}$ alkyl;

each of U and U' is independently H, C_{1-6} alkoxy, or C_{1-6} alkyl; or U and U' taken together are =CH₂ or -O-(straight or branched C_{1-5} alkylene)-O-;

X is H or C1-6 alkoxy;

each of Y and Y' is independently H or C_{1-6} alkoxy; or Y and Y' taken together are =0, =CH₂, or -O-(straight or branched $C_{1.5}$ alkylene)-O-; and

each of Z and Z' is independently H or C₁₋₆ alkoxy; or Z and Z' taken together are =0,

5

- =CH₂, or -O-(straight or branched C₁₋₅ alkylene)-O-; or a pharmaceutically acceptable salt thereof.
- 2. The compound of claim 1, wherein n is 0.
- The compound of claim 1, wherein each of D and D' is independently selected from R₃, C_{1.3} alkoxy, and C_{1.3} haloalkyloxy.
- 4. The compound of claim 1, wherein R₅ is selected from H, C_{1.6} alkyl, C_{1.6} haloalkyl, C_{1.6} hydroxyalkyl, C_{1.6} aminoalkyl, C_{6.10} aryl, C_{6.10} haloaryl, C_{6.10} hydroxyaryl, C_{1.3} alkoxy-C₆ aryl, C_{6.10} aryl-C_{1.6} alkyl, C_{1.6} alkyl, C_{1.6} alkyl-C_{6.10} aryl, C_{6.10} haloaryl-C_{1.6} alkyl, C_{1.6} alkyl-C_{6.10} haloaryl, (C_{1.3} alkoxy-C₆ aryl)-C_{1.3} alkyl, C_{2.9} heterocyclic radical, C_{2.9} heterocyclic radical-C_{1.6} alkyl, C_{2.9} heteroaryl, and C_{2.9} heteroaryl-C_{1.6} alkyl.
- 15 5. The compound of claim 1, wherein A comprises a C_{1.6} saturated or C_{2.6} unsaturated hydrocarbon skeleton, said skeleton having at least one substituent selected from cyano, halo, azido, oxo, and Q₁;

each Q_1 is independently selected from OR_1 , SR_1 , SO_2R_1 , OSO_2R_1 , NR_2R_1 , $NR_2(CO)R_1$, and $O(CO)NR_2R_1$;

n is 0;

G is O;

J and J' taken together are =CH2;

Q is methyl;

T is ethylene;

U and U' taken together are =CH2;

X is H:

each of Y and Y' is H; and

Z and Z' taken together are =O or =CH,.

 The compound of claim 1, wherein each Q₁ is independently selected from OR₁, SR₁, SO₂R₁, OSO₂R₁, NH(CO)R₁, NH(CO)(CO)R₁, and O(CO)NHR₁;

each R_1 is independently selected from $C_{1.6}$ alkyl, $C_{1.6}$ haloalkyl, C_6 aryl, C_6 haloaryl, $C_{1.3}$ alkoxy- C_6 aryl, C_6 aryl- $C_{1.3}$ alkyl, $C_{1.3}$ alkyl- C_6 aryl, C_6 haloaryl, $C_{1.3}$ alkyl- $C_{1.3}$ alkyl, $C_{1.3}$ alkyl, $C_{2.9}$ heterocyclic radical, $C_{2.9}$ heteroaryl, and $C_{2.9}$ heteroaryl- $C_{1.6}$ alkyl;

one of D and D' is methyl or methoxy, and the other is H:

n is 0;

G is O:

J and J' taken together are =CH2;

40 Q is methyl;

35

15

5

T is ethylene; U and U' taken together are =CH $_2$; X is H; each of Y and Y' is H; and

Z and Z' taken together are =O.

- 7. The compound of claim 6, wherein A has at least one substituent selected from hydroxyl, amino, azido, halo, and oxo.
- 10 8. The compound of claim 7, wherein A comprises a saturated hydrocarbon skeleton having at least one substituent selected from hydroxyl, amino and azido.
 - 9. The compound of claim 8, wherein A has at least two substituents independently selected from hydroxyl, amino, and azido.
 - 10. The compound of claim 8, wherein A has at least two substituents independently selected from hydroxyl and amino.
 - 11. The compound of claim 8, wherein A has at least one hydroxyl substituent and at least one amino substituent.
 - 12. The compound of claim 8, wherein A has at least two hydroxyl substituents.
 - 13. The compound of claim 8, wherein A comprises a C_{2-4} hydrocarbon skeleton.
 - 14. The compound of claim 8, wherein A comprises a C₃ hydrocarbon skeleton.
 - 15. The compound of claim 13, wherein A has an (S)-hydroxyl on the carbon atom alpha to the carbon atom linking A to the ring containing G.
 - 16. The compound of claim 6, wherein A comprises a $C_{1.6}$ saturated hydrocarbon skeleton having at least one substituent selected from hydroxyl and cyano.
 - 17. The compound of claim 6, wherein Q_1 is independently selected from OR_1 , SR_1 , SO_2R_1 , and OSO_2R_1 where each R_1 is independently selected from C_{1-6} alkyl, C_{1-6} haloalkyl, C_6 aryl, C_6 haloaryl, C_{1-3} alkyl, C_{1-3} alkyl- C_6 aryl, C_6 haloaryl- C_{1-3} alkyl, C_{1-3} alkyl- C_6 haloaryl, and $(C_{1-3}$ alkyl- C_6 aryl)- C_{1-3} alkyl.
 - 18. The compound of the following structure

40

25

19. The compound of the following structure

and pharmaceutically acceptable salts thereof.

- 20. A method for identifying an agent that induces a sustained mitotic block in a cell after transient exposure of said cell to said agent, said method comprising the steps of:
- (a) incubating a first cell sample with a predetermined concentration of a test compound for a time interval between that sufficient to empty the \mathbf{G}_1 population and that equivalent to one cell cycle;
 - (b) substantially separating said test compound from said first cell sample;
- (c) incubating said first sample in media free of said test compound for a time interval sufficient to allow at least 80% of the cells released from the mitotic block induced by a highly reversible mitotic inhibitor to complete mitosis and return to the G_1 phase; and
 - (d) measuring the percentage of transiently-exposed cells from step (c) that have completed mitosis and returned to the G_1 phase.
 - 21. The method of claim 20, further comprising the steps of:

- (e) incubating a second sample of cells with a concentration of said test compound less than or equal to that used in step (a) for a time interval between that sufficient to empty the ${\bf G}_1$ population and that equivalent to one cell cycle;
- 5 (f) measuring the percentage of cells from step (e) that have completed mitosis and have returned to the G_1 phase; and
 - (g) determining the relative reversibility of said test compound by relating the measurement of step (d) and the measurement of step (f).

MACROCYCLIC ANALOGS AND METHODS OF THEIR USE AND PREPARATION

The invention provides halichondrin analogs having pharmaceutical activity, such as anticancer or antimitotic (mitosis-blocking) activity, and methods of identifying agents that induce a sustained mitotic block in a cell after transient exposure of the cell to the agents.

PATENT ATTORNEY DOCKET NO: 04520/016002

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Macrocyclic Analogs and Methods of Their Use and Preparation, the specification of which

■ is at	ttached hereto.		
□ was	filed on	as Application Serial No	_
and	was amended on	·	
🗆 was	described and claime	d in PCT International Application No.	
filed	on a	and as amended under PCT Article 19 on	

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Country	Serial Number	Filing Date	Priority Claimed?
			Yes/No
			Yes/No
			Yes/No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filling date of the prior application and the national or PCT international filling date of this application:

COMBINED DECLARATION AND POWER OF ATTORNEY

Serial Number	Filing Date	Status	
60/089,682	June 17, 1998		

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Paul T. Clark, Reg. No. 30,162, Karen L. Elbing, Ph.D. Reg. No. 35,238, Kristina Bieker-Brady, Ph.D. Reg. No. 39,109, Susan M. Michaud, Ph.D. Reg. No. 42,885, Mary Rose Scozzafava, Ph.D. Reg. No. 36,268.

Address all telephone calls to: Paul T. Clark at 617/428-0200.

Address all correspondence to: Paul T. Clark at Clark & Elbing LLP, 176 Federal Street, Boston, MA 02110.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Bruce A. Littlefield	Andover, MA, USA	4 Twinbrook Court Andover, MA, USA	U.S.
Signature:	Date:		

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Monica H. Palme	San Jose, CA, USA	2349 Carlton Avenue San Jose, CA, USA	U.S.
Signature:			Date:

COMBINED DECLARATION AND POWER OF ATTORNEY

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Boris M. Seletsky	Andover, MA, USA	8 Delphi Court Andover, MA, USA	Russia
Signature:			Date:

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Murray J. Towle	Auburn, NH, USA	70 Kimballs Point Auburn, NH, USA	U.S.
Signature:	Date:		

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Melvin J. Yu	Andover, MA, USA	700 Bulfinch Drive Andover, MA, USA	U.S.
Signature:	Date:		

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Wanjun Zheng	Londonderry, NH, USA	14 Devonshire Lane Londonderry NH, USA	China
Signature:			Date: